Jenkins

- description : jenkins
- author :
- email : hylee@repia.com
- lastupdate : 2020-06-10

Jenkins

Jenkins ?

- (Jenkins) (CI : continuous integration)
- ・ Git 가
- CI/CD (SpotBugs, ...) 가
- •

JENKINS_HOME=#{jenkins

1.

| Jenkins download Past Releas | ses | | | | |
|--|------------|-------|------|---|---|
| Tip : ex) 2.50, 2.100 Tip : jenkins 2.54 | 2.100 8 | | . (. | 가 |) |
| 2. | | | | | |
| .sh code | #{jenkins | }/log | | | |
| #jenkins.sh #!/bin/bash JAVA_HOME=#{java HTTP_PORT=9090 | } | | | | |

}

```
export JAVA_HOME HTTP_PORT
```

```
nohup $JAVA_HOME/bin/java -jar $JENKINS_HOME/jenkins.war --
httpPort=$HTTP_PORT --sessionTimeout=120 -XX:+AggressiveOpts >>
./logs/jenkins.log 2>&1 &
```

```
jenkins.sh port ...
[search@localhost jenkins]$ sudo firewall-cmd --zone=public --add-
port=9090/tcp --permanent
success
[search@localhost jenkins]$ sudo firewall-cmd --reload
success
[search@localhost jenkins]$ sudo firewall-cmd --list-ports
22/tcp 3306/tcp 8080/tcp 80/tcp 9090/tcp
[search@localhost jenkins]$ ./jenkins.sh
```

```
×
```

3.

| <pre>/home/search/.jenkins/secrets/initialAdminPassword</pre> | | | | | |
|---|-----------------|-----------------|---------|------------------------|---|
| • | search ./je | enkins.sh | | 가 search가 | 가 |
| vi | /home/search/.j | enkins/secrets/ | initia | alAdminPassword | |
| | | | | Administrator password | |
| × | | | | | |
| Tip : | suggested | false j | jenkins | | |
| 4. | (svn + war |) | | | |
| × | | ltem | | | |
| <mark>≍</mark> Ite | m name | Freesyle proj | ect | | |

| 2025/06/28 21:34 | | | | | 3/4 | lenkins |
|--|------------------|--------------|------------|--------------------|----------------|----------|
| × | | | | | | Jerrano |
| Credentials Tip:Reposito | ory URL | Add | Apps | Url (eclips | Url) | /trunk |
| | Jenki | ns > Jenkins | > Glo | bal Tool Configura | tion 가 | maven |
| × | | | | | | |
| X Maven Version Goals : clean in | : istall | ltem | | | | |
| 5. | | | | | | |
| 5-1. jenkins | | | | | | |
| 4. | | Add build | step | Execute | shell | Command가 |
| jenki .war | ns .sh | .ν | /ar | | | |
| 5-2. jenkins | | | | | | |
| 5.1 je | enkins Send k | | s over SSH | lich Over SSH | Dlugin | |
| Dhunin 7 | | | Pul | | | • |
| | Γ | Jenktus > | .(Apps | 1 | SON SERVE | 157[. |
| × | | Item | | | | |
| × | | | | | | |
| Remove prejix | : | ROOT | RO | OT/trunk/target/ap | ops-1.0.0.war가 | |

Remove prejix : ROOT ROOT/trunk/target/apps-1.0.0.war가 Exec command : bash

Тір

Troubleshooting

.

Ref

- CentOS 7 Jenkins ::
- Jenkins 가
- CentOS 6 Jenkins SVN + Spring Maven
- Cl -

•

- (Jenkins) (Remote)
 - Cannot run program "mvn" error=2, No such file or directory

(SSH)

, jenkins

From: http://rwiki.repia.com/ -2023.12

Permanent link: http://rwiki.repia.com/doku.php?id=wiki:3party:jenkins&rev=1593502567



Last update: 2022/03/10 19:52