

- description :
- author :
- email : hylee@repia.com
- lastupdate : 2020-06-22

```
# Section04-5
#           (      )
#           ,
#           (      )

# 1.
q1 = "dk2jd923i1jdk2jd93jfd92jd918943jfd8923"

# 2. print
#     apple;orange;banana;lemon

# 3.      *      100

# 4.      "30"      ,      ,      ,

# 5.      "Niceman"      "man"

# 6.      .      : "Strawberry"

# 7.      '-'      .      : "010-7777-9999"

# 8.      (URL)      "http://"      .      : "http://daum.net"

# 9.      ,      .      : "NiceMan"

# 10.     "cde"      .      : "abcdefghijklmn"
```

```
# 11. "Apple" : [ "Banana", "Apple", "Orange"]

# 12. . : (1,2,3,4)

# 13. (dict) . : < - 100000 , - 70000 , -
30000 >

# 14. 13 dict < - 0 > / .

# 15. 13 (dict) Key . .

# 16. 13 (dict) value . .
```

```
# Section04-5
# ( )
# ,
# ( )

# 1.
q1 = "dk2jd923i1jdk2jd93jfd92jd918943jfd8923"

print('1. q1 : \t', len(q1))

# 2. print
# apple;orange;banana;lemon

print('2. print:\t', '''apple;orange;banana;lemon''')

# 3. * 100

print('3. *100 :\t', '*' * 100)

# 4. "30"
string30 = "30"
print('4. :\t', int(string30))
print(' :\t', float(string30))
print(' :\t', complex(string30))
```

```
print('      :\t', string30)

# 5.      "Niceman"      "man"
str = "Niceman"
manIdx = str.index("man")
print('5.      :\t', str[manIdx:manIdx + 3])

# 6.          . : "Strawberry"
sb = "Strawberry"
print('6. reverse:\t', list(reversed(sb)))
print('      :\t', sb[::-1])

# 7.      '-'          . : "010-7777-9999"
import re

phoneNumber = "010-7777-9999"
print('7. -    :\t', re.sub('[^0-9]', '', phoneNumber))

# 8.      (URL)      "http://"          . : "http://daum.net"
url = "http://daum.net"
urlIdx = url.index('' 'http://')
print('8. http  :\t', url[urlIdx + 7:])

# 9.          ,          . : "NiceMan"
str = "NiceMan"
print('9.      :\t', str.upper())
print('      :\t', str.lower())

# 10.         "cde"          . : "abcdefghijklmn"
str = "abcdefghijklmn"
print('10.     :\t', str[2:5])

# 11.      "Apple"          . : ["Banana", "Apple", "Orange"]
list = ["Banana", "Apple", "Orange"]
list.remove("Apple")
print('11. Apple  :\t', list)
```

```
# 12.          . : (1,2,3,4)

tup = (1, 2, 3, 4)
print('12.          :\t', [s for s in tup])

# 13.          (dict)          . : < - 100000 , - 70000 , -
30000>

dict = {}
dict['    '] = 100000
dict['    '] = 70000
dict['    '] = 30000
print('13.          :\t', dict)

# 14. 13      dict      < - 0 >      가      .
dict['    ']=0
print('14.          가:\t', dict)

# 15. 13      (dict)      Key

print('15.          key      :\t', dict.keys())

# 16. 13      (dict)      value

print('16.          value     :\t', dict.values())

# ***          . ^*          . ***
. .
```

Tip

, python,

From: http://rwiki.requia.com/ - -- 2023.12
Permanent link: http://rwiki.requia.com/doku.php?id=wiki:ai:python:%EB%8D%B0%EC%9D%B4%ED%84%B0_%ED%83%80%EC%9E%85_%EC%A4%91%EA%B0%84%EC%A0%90%EA%B2%80&rev=1599558267
Last update: 2022/03/10 19:52

