

AX5

Haeder

```
<link rel="stylesheet" type="text/css"
href="https://cdn.rawgit.com/ax5ui/ax5ui-dialog/master/dist/ax5dialog.css"
/>

<script type="text/javascript"
src="https://code.jquery.com/jquery-1.12.3.min.js"></script>
<script type="text/javascript"
src="https://cdn.rawgit.com/ax5ui/ax5core/master/dist/ax5core.min.js"></script>
```

ax5ui-mask

Action

ax5ui-dialog

alert, confirm, prompt

Header

```
<script type="text/javascript"
src="https://cdn.rawgit.com/ax5ui/ax5ui-
dialog/master/dist/ax5dialog.min.js"></script>
```

dialog

```
<script type="text/javascript">
var myDialog = new ax5.ui.dialog();
$(document.body).on("click", '[data-btn="alert"]', function() {
myDialog.alert("Alert message!");
});
```

```
</script>

<button class="btn btn-default" data-btn="alert">Alert</button>
```

ax5ui-toast

ax5ui-modal

ax5ui-calendar

ax5ui-picker

ax5ui-formatter

ax5ui-menu

.(.)

ax5ui-media-viewer

ax5ui-select

ax5ui-layout

ax5ui-combobox

ax5ui-autocomplete

ax5ui-binder

, binder 가 binder .

ax5ui-grid

ax5ui-uploader

ax5ui-docker

ax5ui-palette

From:

<http://rwiki.repia.com/> -
2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:bootstrap:ax5&rev=1599092776>

Last update: **2022/03/10 19:52**

