

bootstrap-select

- description : bootstrap-select
- author :
- email : shlim@repia.com
- lastupdate : 2023-01-18 Wed

bootstrap-select

Bootstrap 4 only works with bootstrap-select v1.13.0+. By default, bootstrap-select automatically detects the version of Bootstrap being used. However, there are some instances where the version detection won't work. See the documentation for more information.

```

Bootstrap 4 bootstrap-select v1.13.0 . bootstrap-select
Bootstrap
가 가 . documentation

```

Because there are some changes in class names and layout between Bootstrap 3 and Bootstrap 4, bootstrap-select needs to know the version of Bootstrap you are using. By default, bootstrap-select automatically detects the version of Bootstrap. However, there are some instances where the version detection does not work properly (e.g. Bootstrap is being loaded asynchronously or there is a namespace collision). For now, bootstrap-select defaults to using Bootstrap 3 formatting if version detection fails. This will be changed in the next major release.

```

select 3 4 bootstrap-
bootstrap-select 가
( : 가 . bootstrap-select
Bootstrap 3

```

Usage

Via selectpicker Class

bootstrap-select

select

selectpicker

가

.

```
<select class="selectpicker">
  <option>Mustard</option>
  <option>Ketchup</option>
  <option>Barbecue</option>
</select>
```

Via JavaScript

```
// To style only selects with the my-select class
$('.my-select').selectpicker();
```

or

```
$('.select').selectpicker();
```

JavaScript

.ready()

(

)

.

```
$(function() {
  $('.select').selectpicker();
});
```

.selectpicker('refresh')

refresh

JavaScript

select

, select

,

UI

options

가

, JavaScript select

/

.

```
$('.selectpicker').selectpicker('refresh');
```

Apps RMR

가

' 3 '

JavaScript options

options 가 ajax success
 \$('selectpicker').selectpicker('refresh'); 가

Live search

data-live-search="true" search input 가 .

jsp <select>

select

```
<select if="openProj" class="form-control" name="openProjSeq" title="                   3
                 ">
```

select

```
<select if="openProj" class="form-control selectpicker" name="openProjSeq"
data-live-search="true" title="                   3                   ">
```

가

```
$(function() {
  $('selectpicker').selectpicker();
});
```

가

가 : 가

1. bootstrap-select-1.13.14 ,
2. dist
3. dist
 - o css ⇒ bootstrap-select.css, bootstrap-select.css.map, bootstrap-select.min.css
 - o js ⇒ i18n , bootstrap-select.js, bootstrap-select.js.map, bootstrap-select.min.js, bootstrap-select.min.js.map
4. tagHeader.jsp 가

> src > main > webapp > resource > bootstrapSource > plugins > bootstrap-select

> 1.13.14 > CSS , js 가

Ref Link

[bootstrap-select](#)

[Bootstrap version](#)

[.selectpicker\('refresh'\)](#)

[Bootstrap select custom dynamic options](#)

[Search function in select options using Bootstrap 4](#)

[Live search](#)

, [bootstrap-select](#)

From: <https://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: https://125.132.25.164/dokuwiki/doku.php?id=wiki:bootstrap:bootstrap_note:bootstrap-select

Last update: **2023/01/18 18:25**

