

Bootstrap List Groups

- description : Bootstrap List Groups
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-26

Basic List Groups



```
.list-group-item          , .list-group          <ul>
                           <li>                          .
```

Basic List Group

- First item
- Second item
- Third item

List Group With Badge




가

List Group With Badges

- New 12
- Deleted 5
- Warnings 3

List Group With Linked Items

 가 . 가 :

가 , <div> ,

 <a>

List Group With Linked Items

[First item](#) [Second item](#) [Third item](#)


Active State

 .active ,

Active Item in a List Group

[Python](#) [Java](#) [JavaScript](#)

Disabled Item

 , .disabled 가 :

List Group With a Disabled Item

Contextual Classes



`.list-group-item-success, .list-group-item-info, list-group-item-warning, .list-group-item-danger:`

List Group With Contextual Classes

-
- IT
- Do it!
-

Linked Items With Contextual Classes

Move the mouse over the linked items to see the hover effect:

[+](#)

[IT](#)

Custom Content

HTML 가 .

Bootstrap text . `.list-group-item-heading` `.list-group-item-`

List Group With Custom Content

1

Result



, [Bootstrap](#), [List](#), [Groups](#)

From:

<https://rwiki.repia.com/> -

. - 2023.12

Permanent link:

https://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_list_groups



Last update: **2023/01/13 18:44**