

Bootstrap Navigation Bar

- description : Bootstrap Navigation Bar
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

Navigation Bars



Bootstrap

```
<nav class = "navbar navbar-default">
```

가

Web Site Name

- Home
- Page 1
- page 2
- Page 3

Basic Navbar Example

A navigation bar is a navigation header that is placed at the top of the page.

Note:

(() ,)

Inverted navigation Bar

, Bootstrap navbar

.navbar-default navbar-inverse

Web Site Name

- [Home](#)
- [Page 1](#)
- [page 2](#)
- [Page 3](#)

Basic Navbar Example

A navigation bar is a navigation header that is placed at the top of the page.

Result



Navigation Bar With Dropdown



“ 1 ” 가 .

WebSiteName

- [Home](#)
- [Page 1](#)
 - [Page 1-1](#)
 - [Page 1-2](#)
 - [Page 1-3](#)
- [Page 2](#)
- [Page 3](#)

Navbar With Dropdown

This exmmple add a dropdown menu for the "Page 1<" button in the navigation bar./jp>

Right Aligned Navigation Bar



.navbar-right

“ (Sign Up)” “ (Login)”
(glyphicon) 가 .

WebSiteName

- Home
- Page 1
 - Page 1-1
 - Page 1-2
 - Page 1-3
- Page 2
- sign Up
- Login

Right Aligned Navbar

The .navbar-right class is used to right-align navigation bar buttons.

Navbar Buttons

 가 , .navbar-btn 가 .

WebSiteName


- Home
- Link01
- Link02

Button

Navbar Button

Use the Navbar-btn class on a button to vertically align (same padding as links) it inside the navbar.

Navbar Forms

 navbar (form element) 가 , (input) 가 .
.navbar-form 가 .form-group 가 .
div 가 .

WebSiteName

- [Home](#)
- [Page 01](#)
- [Page 02](#)

Submit

Navbar Forms

Use the `.navbar-form` class to vertically align form elements (same padding as links) inside the navbar.

`.input-group` `.input-group-addon` ,

Bootstrap Inputs

WebSiteName

- [Home](#)
- [Page 1](#)
- [Page 2](#)

Navbar Forms

Use the `.navbar-form` class to vertically align form elements (same padding as links) inside the navbar

The `.input-group` class is a container to enhance an input by adding an icon, text or a button in front or behind it as a "help text".

The `.input-group-btn` class attaches a button to an input field. This ks often used as a search bar;

Result



Navbar Text

.navbar-text , 가 navbar
().

- [Link](#)
- [Link](#)

Some text

Navbar Text

Use the .navbar-text class to vertical align any elements insdie the navbar that are not links.(ensures proper padding).

Result



Fixed Navigation Bar

.
() .



.navbar-fixed-top 가 .

WebSiteName

- [Home](#)
- [Page 1](#)
- [Page 2](#)
- [page 3](#)

Fixed Navbar

A fixed navigation bar style visible in a fixed position (top or bottom) independent of the page scroll.

A fixed navigation bar style visible in a fixed position (top or bottom) independent of the page scroll.

A fixed navigation bar style visible in a fixed position (top or bottom) independent of the page scroll.

A fixed navigation bar style visible in a fixed position (top or bottom) independent of the page scroll.

A fixed navigation bar style visible in a fixed position (top or bottom) independent of the page scroll.

A fixed navigation bar style visible in a fixed position (top or bottom) independent of the page scroll.

Scroll this page to see the effect

.navbar-fixed-bottom

Collapsing The Navigation Bar

가

, [Bootstrap](#), [Navbar](#), [Navigation](#), [bar](#)

From: <http://rwiki.repia.com/> -

. - 2023.12

Permanent link: http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_navbars&rev=1617003371 

Last update: **2022/03/10 19:52**