

Bootstrap Pagination

- description : Bootstrap Pagination
 - author :
 - email : shlim@repia.com
 - lastupdate : 2021-03-25

Basic Pagination

가 가 , (pagination) 가

Bootstrap

 , .pagination 가 .

Pagination

The `.pagination` class provides pagination links:

- 1
 - 2
 - 3
 - 4
 - 5

Active State ()

.active 가 가

Pagination - Active State

Add class .active to let the user know which page he/she is on:

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Disabled State ()

가 , .disabled 가 .

Pagination - Disabled State

Add class .disabled if a page for some reason is disabled:

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Pagination Sizing

Pagination

 가 , .pagination-lg 가 , .pagination-sm
가 .

Pagination - Sizing

Add class .pagination-lg for larger blocks or .pagination-sm for smaller blocks.

Large:

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Default:

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Small:

- [1](#)
- [2](#)
- [3](#)
- [4](#)
- [5](#)

Breadcrumbs

Pagination breadcrumbs() :

 .breadcrumb

Breadcrumbs

The .breadcrumb class indicates the current page's location within a navigational hierarchy:

- [Home](#)
 - [Private](#)
 - [Pictures](#)
 - [Vacation](#)
- , [Bootstrap, Pagination](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link:
http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_pagination&rev=1616669406 

Last update: **2022/03/10 19:52**