

Bootstrap Tabs and Pills

- description : Bootstrap Tabs and Pills
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

Menus

가 .

HTML , ()

- Home
- Menu 1
- Menu 2
- Menu 3

가 , .list-inline 가 .

Inline List

- >Home
- >menu 1
- >Menu 2
- >Menu 3

Bootstraps Tabs Pills ().

Note:

Tabs Pill / (toggleable/dynamic)

Tabs



<ul class = "nav nav-tabs">

Tips: `<li class = "active">`

(Navigation Tabs)

Tabs

- Home
- menu 1
- Menu 2
- Menu 3

\\ ===== Tabs With Dropdown Menu ===== Tabs .\\
\\ " 1" 가 .\\ ===== =====

Tabs With Dropdown Menu

- Home
- Menu 1
 - Submenu 1-1
 - Submenu 1-1
 - Submenu 1-1
- Menu 2
- Menu 3

Result



Pills



Pills `<ul class = "nav nav-pills">` `<li class =`
`"active">`

Pills

- Home
- Menu 1
- Menu 2
- Menu 3

Vertical Pills



Pills

.nav-stacked

가

.

Vertical Pills

Use the .nav-stacked class to vertically stack pills:

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

Vertical Pills in a Row

pill

가

가

, [Bootstrap, Tabs, and, Pills](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_tabs_pills&rev=1616977046



Last update: **2022/03/10 19:52**