

# Bootstrap Tabs and Pills

- description : Bootstrap Tabs and Pills
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

## Menus

가  
HTML ,  
,

- Home
- Menu 1
- Menu 2
- Menu 3

가 , <ul> .list-inline 가 .

### Inline List

- >Home
- >menu 1
- >Menu 2
- >Menu 3

Bootstraps Tabs Pills ( ).

#### Note:

Tabs Pill / (toggleable/dynamic)

## Tabs



<ul class = "nav nav-tabs">

**Tips:** <li class = "active">

(Navigation Tabs)

## Tabs

- Home
- menu 1
- Menu 2
- Menu 3

\\"=====Tabs With Dropdown Menu===== Tabs

\\" " 1" 가 \\" ===== = ==

\\"

## Tabs With Dropdown Menu

- Home
- Menu 1
  - Submenu 1-1
  - Submenu 1-1
  - Submenu 1-1
- Menu 2
- Menu 3

## Result



## Pills



Pills <ul class = "nav nav-pills">  
"active">

<li class =

## Pills

- Home
- Menu 1
- Menu 2
- Menu 3

## Vertical Pills



Pills

. . nav-stacked

가

### Vertical Pills

Use the .nav-stacked class to vertically stack pills:

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

### Vertical Pills in a Row

pill

가

가

, [Bootstrap, Tabs, and, Pills](#)

From:

<http://rwiki.repia.com/> -

- 2023.12

Permanent link:

[http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap\\_note:bs\\_tabs\\_pills&rev=1616977046](http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_tabs_pills&rev=1616977046)

Last update: **2022/03/10 19:52**