

Bootstrap Tabs and Pills

- description : Bootstrap Tabs and Pills
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

Menus

가 .

HTML , ()

- Home
- Menu 1
- Menu 2
- Menu 3

가 , .list-inline 가 .

Inline List

- >Home
- >menu 1
- >Menu 2
- >Menu 3

Bootstraps Tabs Pills ().

Note:

Tabs Pill / (toggleable/dynamic)

Tabs



<ul class = "nav nav-tabs">

Tips: `<li class = "active">`

(Navigation Tabs)

Tabs

- Home
- menu 1
- Menu 2
- Menu 3

\\ ===== Tabs With Dropdown Menu ===== Tabs .\\
\\ " 1" 가 .\\ ===== =====

Tabs With Dropdown Menu

- Home
- Menu 1
 - Submenu 1-1
 - Submenu 1-1
 - Submenu 1-1
- Menu 2
- Menu 3

Result



Pills



Pills `<ul class = "nav nav-pills">` `<li class =`
`"active">`

Pills

- Home
- Menu 1
- Menu 2
- Menu 3

Vertical Pills



Pills

.nav-stacked

가

.

Vertical Pills

Use the .nav-stacked class to vertically stack pills:

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

Vertical Pills in a Row



pill

가

가

Vertical Pills

Lorem ipsum dolor, sit amet consectetur adipisicing elit. Quae itaque, repellendus ducimus excepturi molestias laudantium.

Lorem ipsum dolor sit amet consectetur adipisicing elit. Reprehenderit nemo doloribus dolor? Laborum?

Lorem ipsum dolor sit amet consectetur adipisicing elit. Suscipit, tempore labore.

- [Nome](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

Pills With Dropdown Menu



Pills

“ 1 ” 가 .

Pills With Dropdown Menu

- [Home](#)
- [Menu 1](#)
 - [Submenu 1-1](#)
 - [Submenu 1-2](#)
 - [Submenu 1-3](#)
- [Menu 2](#)
- [Menu 3](#)

Centered Tabs and Pills



tabs pills / .nav-justified .

768px , ().

Centered Tabs

To center/justify the tabs and pills, use the .nav-justified class. Note that on screens that are smaller than 768px, the list items are stacked (content will remain centered).

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

Centered Pills

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

Toggleable / Dynamic Tabs

```

<div data-bbox="116 107 838 175" style="border: 1px solid #ccc; padding: 5px; margin-bottom: 10px;">
  <div data-bbox="116 107 838 140" style="border-bottom: 1px solid #ccc; padding: 5px 5px 0 5px;">
    <a href="#" data-bbox="116 125 345 140" style="padding: 5px 10px 5px 5px; text-decoration: none; color: inherit;"><span data-bbox="116 107 140 125" style="color: red; font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">✖</span> Home</a>
    <a href="#" data-bbox="395 125 650 140" style="padding: 5px 10px 5px 5px; text-decoration: none; color: inherit; margin-left: 10px;"><span data-bbox="395 125 435 140" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">ID가</span> <span data-bbox="440 125 650 140" style="font-family: monospace; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">data-toggle = "tab"</span> <span data-bbox="735 125 838 140" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">가</span> .</a>
  </div>
  <div data-bbox="116 140 838 175" style="padding: 0 5px 5px 5px;">
    <div data-bbox="116 140 255 175" style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;">.tab-content</div>
  </div>
</div>

<div data-bbox="116 180 838 271" style="border: 1px solid #ccc; padding: 5px;">
  <div data-bbox="116 180 838 215" style="border-bottom: 1px solid #ccc; padding: 5px 5px 0 5px;">
    <div data-bbox="116 180 345 215" style="border-right: 1px solid #ccc; padding: 5px 5px 0 5px; text-decoration: none; color: inherit;"><span data-bbox="116 180 155 215" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">tabs</span> <span data-bbox="245 180 345 215" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">.tab-pane</span></div>
    <div data-bbox="395 180 650 215" style="border-right: 1px solid #ccc; padding: 5px 5px 0 5px; text-decoration: none; color: inherit; margin-left: 10px;"><span data-bbox="395 180 435 215" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">(fade in)</span> <span data-bbox="440 180 650 215" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">(fade out)</span></div>
  </div>
  <div data-bbox="116 215 838 271" style="padding: 0 5px 5px 5px;">
    <div data-bbox="116 215 255 271" style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"><span data-bbox="116 215 155 271" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">.fade</span></div>
  </div>
</div>

```

Dynamic Tabs

To make the tabs toggleable, add the data-toggle="tab" attribute to each link. Then add a .tab-pane class with a unique ID for every tab and wrap them inside a div element with class .tab-content.

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

HOME

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Cum, rem.

Menu 1

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Tempore, unde.

Menu 2

Lorem ipsum dolor sit amet consectetur adipisicing elit. Est, explicabo.

Menu 3

Lorem ipsum, dolor sit amet consectetur adipisicing elit. At, enim.

Toggleable / Dynamic Pills

```

<div data-bbox="116 896 809 929" style="border: 1px solid #ccc; padding: 5px;">
  <div data-bbox="116 896 809 929" style="border-bottom: 1px solid #ccc; padding: 5px 5px 0 5px;">
    <span data-bbox="116 896 155 929" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">pills</span>
    <span data-bbox="295 896 315 929" style="font-weight: bold; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">가</span>
    <span data-bbox="415 896 520 929" style="font-family: monospace; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">. data-toggle</span>
    <span data-bbox="585 896 809 929" style="font-family: monospace; font-size: 0.8em; vertical-align: middle; margin-right: 5px;">data-toggle = "pill"</span>
  </div>
  <div data-bbox="116 929 809 955" style="padding: 0 5px 5px 5px;">
    <div data-bbox="116 929 809 955" style="border: 1px solid #ccc; padding: 5px; margin-bottom: 5px;"></div>
  </div>
</div>

```

, Bootstrap, Tabs, and, Pills

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_tabs_pills&rev=1616987078 

Last update: **2022/03/10 19:52**