

# Bootstrap Tabs and Pills

- description : Bootstrap Tabs and Pills
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

## Menus

가 .

HTML , <ul>( )

- Home
- Menu 1
- Menu 2
- Menu 3

가 , <ul> .list-inline 가 .

### Inline List

- >Home
- >menu 1
- >Menu 2
- >Menu 3

Bootstraps Tabs Pills ( ).

**Note:**

Tabs Pill / (toggleable/dynamic)

## Tabs



<ul class = "nav nav-tabs">

**Tips:** <li class = "active">

(Navigation Tabs)

## Tabs

- Home
- menu 1
- Menu 2
- Menu 3

\\ ===== Tabs With Dropdown Menu ===== Tabs .\\  
\\ " 1" 가 .\\ ===== =====

## Tabs With Dropdown Menu

- Home
- Menu 1
  - Submenu 1-1
  - Submenu 1-1
  - Submenu 1-1
- Menu 2
- Menu 3

## Result



## Pills



Pills <ul class = "nav nav-pills">  
"active">

<li class =

## Pills

- Home
- Menu 1
- Menu 2
- Menu 3

# Vertical Pills



Pills

.nav-stacked

가

.

## Vertical Pills

Use the .nav-stacked class to vertically stack pills:

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

## Vertical Pills in a Row



pill

가

가

## Vertical Pills

Lorem ipsum dolor, sit amet consectetur adipisicing elit. Quae itaque, repellendus ducimus excepturi molestias laudantium.

Lorem ipsum dolor sit amet consectetur adipisicing elit. Reprehenderit nemo doloribus dolor? Laborum?

Lorem ipsum dolor sit amet consectetur adipisicing elit. Suscipit, tempore labore.

- [Nome](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

## Pills With Dropdown Menu



Pills

“ 1 ”

가 .

## Pills With Dropdown Menu

- Home
- Menu 1
  - Submenu 1-1
  - Submenu 1-2
  - Submenu 1-3
- Menu 2
- Menu 3

## Centered Tabs and Pills



tabs pills / .nav-justified .

768px , ( ).

## Centered Tabs

To center/justify the tabs and pills, use the .nav-justified class. Note that on screens that are smaller than 768px, the list items are stacked (content will remain centered).

- Home
- Menu 1
- Menu 2
- Menu 3

## Centered Pills

- Home
- Menu 1
- Menu 2
- Menu 3



## Dynamic Pills

To make the tabs toggleable, add the `data-toggle="pill"` attribute to each link. Then add a `.tab-pane` class with a unique ID for every tab and wrap them inside a div element with class `.tab-content`.

- [Home](#)
- [Menu 1](#)
- [Menu 2](#)
- [Menu 3](#)

### HOME

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Cum, rem.

### Menu 1

Lorem, ipsum dolor sit amet consectetur adipisicing elit. Tempore, unde.

### Menu 2

Lorem ipsum dolor sit amet consectetur adipisicing elit. Est, explicabo.

### Menu 3

Lorem ipsum, dolor sit amet consectetur adipisicing elit. At, enim.

### Result



, [Bootstrap](#), [Tabs](#), and, [Pills](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: [http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap\\_note:bs\\_tabs\\_pills&rev=1616990399](http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_tabs_pills&rev=1616990399)

Last update: **2022/03/10 19:52**