

# Bootstrap Text/Typography

- description : Bootstrap Text/Typography
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-24

## Bootstrap's Default Settings

14px , 1.428 .

`<body>` (`<p>`) .

`<p>` ( 10px) (bottom margin)

## Bootstrap vs. Browser Defaults

Bootstrap HTML .

**`<h1>` ~ `<h6>`**

Bootstrap HTML (`<h1>` ~ `<h6>`) .

Bootstrap heading

# h1 Bootstrap heading (36px)

## h2 Bootstrap heading (30px)

### h3 Bootstrap heading (24px)

#### h4 Bootstrap heading (18px)

## **h5 Bootstrap heading (14px)**

## **h6 Bootstrap heading (12px)**

### **<small>**

Bootstrap , HTML <small> 가 .

Bootstrap heading

## **Lighter, Secondary Text**

The small element is used to create a lighter, secondary text in any heading:

### **h1 heading secondary text**

### **h2 heading secondary text**

### **h3 heading secondary text**

### **h4 heading secondary text**

### **h5 heading secondary text**

### **h6 heading secondary text**

### **<mark>**

Bootstrap HTML <mark> .

## **Hightlight Text**

Use the mark element to **hightlight** text.

### **<abbr>**

Bootstrap HTML <abbr> .

# Abbreviations

The abbr element is used to mark up an abbreviation or acronym:

The WHO was founded in 1948.

## <blockquote>

Bootstrap HTML <blockquote>

# Blockquotes

The blockquote element is used to present content from another source:

For 50 years, WWF has been protecting the future of nature. The world's leading conservation organization, WWF works in 100 countries and is supported by 1.2 million members in the United States and close to 5 million globally.

From WWF's website

(the quote) , .blockquote - reverse

# Blockquotes

To show the quote on the right, use **the class .blockquote-reverse**:

For 50 years, WWF has been protecting the future of nature. The world's leading conservation organization, WWF works in 100 countries and is supported by 1.2 million members in the United States and close to 5 million globally.

From WWF's website

## <dl>

Bootstrap HTML <dl>  
dl = description list

## Description Lists

The dl element indicates a description list:

Coffee

- black hot drink

Milk

- white cold drink

### <code>

Bootstrap HTML <code>

## Code Snippets

Inline snippets of code should be embedded in the code element:

The following HTML elements: span, section, and div defines a section in a document.

### <kbd>

Bootstrap HTML <kbd>

kbd = KeyBoarD

## Keyboard Inputs

To indicate input that is typically entered via the keyboard, use the kbd element:

Use `ctrl + p` to open the Print dialog box.

### <pre>

Bootstrap HTML <pre>

<pre>

가

# Multiple Code Lines

For multiple lines of code, use the pre element:

```
Text in a pre element
is displayed in a fixed-width
font, and it preserves
both spaces and
line breaks.
```

## contextual Colors and Backgrounds

“ ”

(contextual classes)

**\*\*contextual :** ( ) , [ ]

text-muted, text-primary, text-success, text-info, text-warning, text-danger:

## Contextual Colors

Use the Contextual classes to provide "meaning through colors"

This text is muted.

This text is important.

This text indicates success.

This text represents some information.

This text represents a warning

This text represents danger.

.bg-primary, bg-success, bg-info, bg-warning, bg-danger:

# Contextual Background Colors

Use the contextual background classes to provide "meaning through colors":

This text is important.

This text indicates success.

This text represents some information.

This text represents a warning.

This text represents danger.

## More Typography Classes

Bootstrap

가

HTML

가

.

| Class                  | Description             |
|------------------------|-------------------------|
| <b>.lead</b>           | .                       |
| .small                 |                         |
| <b>.text-left</b>      | .                       |
| .text-center           | .                       |
| <b>.text-right</b>     | .                       |
| .text-justify          | .                       |
| <b>.text-nowrap</b>    | .                       |
| .text-lowercase        |                         |
| <b>.text-uppercase</b> | .                       |
| .text-capitalize       | .                       |
| <b>.initialism</b>     | <b>&lt;abbr&gt;</b>     |
| .list-unstyled         | ). (<ul> <ol> ( ) )     |
| <b>.list-inline</b>    | .                       |
| .dl-horizontal         | <dl> (<dt> (<dd> . <dl> |
| <b>.pre-scrollable</b> | <b>&lt;pre&gt;</b> 가 .  |

, [Bootstrap](#), [Text/Typography](#)

From: <http://rwiki.repia.com/> -

. - 2023.12

Permanent link: [http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap\\_note:bs\\_typography&rev=1616562803](http://rwiki.repia.com/doku.php?id=wiki:bootstrap:bootstrap_note:bs_typography&rev=1616562803) 

Last update: 2022/03/10 19:52

