

Members: | [gary](#) | | | | | | | | | | [slaptear](#) |
[heon](#)
 Links: | | [REPIA](#) | [Rgitlab](#) | [2020](#)

CSS

- description : CSS
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-13

WIKI: [HTML JAVASCRIPT](#)

Case Study

FlexBox

```
float: {left, center, right}

container
  display
  flex-direction
  flex-wrap
  flex-flow
  justify-content
  align-items
  align-content

item
  order
  flex-grow
  flex-shrink
  flex
  align-self

main axis( ), cross axis( )

EMMET( )
```

```
div.container>div.item.item${$}

.container {
  background: beige;
  height: 100vh; /* viewport height */
  display: flex;
  flex-direction: row
    row:
    row-reverse;
  column:
    column-reverse:
  flex-wrap: nowrap;
    wrap
    wrap-reverse
  /* flex-flow: column nowrap */ flex-direction, flex-wrap
  justify-content: flex-start;
  flex-start:
  flex-end:
  center
  space-around, space-evenly, space-between /*main axis */
  align-items: center; baseline(
  align-content: center, space-around, space-evenly, space-between
}

.item {
  width: 40px;
  height: 40px;
  border: 1px solid black;
}

item
.item1 {
  background: #ef9a9a;
  flex-grow: 2; /*
  flex-shrink: 2; /*
  flex-basis: 60%; /* , flex-grow, flxe-shrink
  align-self: center; /*
}

.item2 {
  backtground: #ef9a9a;
  flex-grow: 1;
  flex-shrink: 1;
  flex-basis: 60%;
}

.item3 {
  backtground: #ef9a9a;
```

```

flex-grow: 1;
flex-shrink: 1;
flex-basis: 60%;
}

```

jsbin.com

[COLOR TOOL](#)

[Flexbox Froggy](#)

Grid

CSS Layout

flex

```

1
flxe, flex(column)
row, column

```

grid

```

2
display: grid

```

grid-template-columns:

```

grid-template-columns: 100px 100px 100px 100px
grid-template-columns: repeat(5, 100px)
grid-template-columns: repeat(5, 20%)
grid-template-columns: 1fr 2fr 1fr
grid-template-columns: repeat(5, 1fr)

```

grid-template-rows

```

grid-auto-rows: 150px
grid-auto-rows: minmax(150px, auto)

```

grid-template-areas: grid cell labeling

```

grid-gap: 10px
grid-column-gap: 10px
grid-row-gap: 10px

```

grid cell

grid-column-start, grid-column-end, grid-row-start, grid-row-end:

```

1 (0 )
grid-column-start: 2;
grid-column-end: 4;
grid-row-start: 1;
grid-row-end: 3

```

or

```

grid-column: 2 / 4;
grid-row: 1 / 3;

```

```
or
    grid-column: 2 / span 2
    grid-row: 1 / 3;
'
    grid-column: 2 / -1
    grid-row: 1 / 3;

    grid-area

body {
    padding: 5rem;
    background-color: black;
}

.container {
    display: grid;
    grid-template-columns: repeat(3, 1fr);
    grid-auto-rows: 150px;
    grid-gap: 1rem;
    grid-template-areas:
        'a a a'
        'b c c'
        'b d g'
        'e f g'
}

.image {
    width: 100%;
    height: 100%;
    object-fit: cover;
}

.image1 {
    grid-area: a
}

.image2 {
    grid-area: b
}

.image3 {
    grid-area: c
}

.image4 {
    grid-area: d
}
```

```
.image5 {
  grid-area: e
}

.image6 {
  grid-area: f
}

.image7 {
  grid-area: g
}
```

```
body {
  width: 100vw;
  height: 100vh;
  margin: 0;
  display: grid;
  grid-template-columns: 3fr 1fr;
  grid-template-rows: 100px auto 50px;
  grid-template-areas:
    'header header'
    'main side'
    'footer footer';
}

header {
  grid-area: header;
}

main {
  grid-area: main;
}

aside {
  grid-area: side;
}

footer {
  grid-area: footer;
}
```

[CSS Flexbox](#)

[CSS Grid](#)

[unsplash](#)

Plugin

[Emmet, HJTML](#)

font-awesome

```
<link href="/fonts/font-awesome/css/all.min.css" rel="stylesheet"/>
<link rel="stylesheet" href="/components/font-awesome/css/font-awesome.min.css">
```

bootstrap

```
<link rel="stylesheet"
href="/components/bootstrap/dist/css/bootstrap.min.css">
```

Ionicons

, SVG

```
<link rel="stylesheet" href="/components/Ionicons/css/ionicons.min.css">
```

AdminLTE

Bootstrap , Adminlet3

```
<link rel="stylesheet" href="/dist/css/AdminLTE.min.css">
```

adminty

Bootstrap , Adminty

	Bootstrap
Adminty	.
가	.
Adminty	.
Adminty	가

가 .

google font

```
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">
```

overlayScrollbars

```
<link
th:href="${#HttpServletRequest.getContextPath()}+'/plugins/overlayScrollbars/css/OverlayScrollbars.min.css'" rel="stylesheet" />
```

daterangepicker

```
<link
th:href="${#HttpServletRequest.getContextPath()}+'/plugins/daterangepicker/daterangepicker.css'" rel="stylesheet" />
```

summernote-bs4.css

```
<link
th:href="${#HttpServletRequest.getContextPath()}+'/plugins/summernote/summernote-bs4.css'" rel="stylesheet" />
```

How To Add CSS

External CSS

```
<!DOCTYPE html>
<html>
<head>
  <link rel="stylesheet" type="text/css" href="mystyle.css" />
</head>
<body>
```

```
</body>  
</html>
```

Internal CSS

```
<!DOCTYPE html>  
<html>  
<head>  
<style>  
body {  
  background-color: linen;  
}  
  
h1 {  
  color: maroon;  
  margin-left: 40px;  
}  
</style>  
</head>  
<body>  
</body>  
</html>
```

[How To Add CSS](#)

Tag Cloud

<https://demo.chattymango.com/shuffle-box/>
<http://dimox.name/beautiful-tags-markup/>

Tip

CSS

```
span {  
  /* all: unset !important; */  
  all: unset;  
}
```

CSS

- CSS
- property: value !important;

<code html>


```
color: red !important;
```

```
color: blue;
```

```
color: green !important;
```

</code CSS

Ref

- [COOL AND RESPONSIVE BUTTONS WITH A FEW LINES OF CSS](#)
- [Ultimate Blocks - Gutenberg Blocks Plugin](#)
- [CSS Selector](#)
- [A Complete Guide to Flexbox](#)
- [FLEXBOX FROGGY](#)

SCSS

Sass(Syntactically Awesome StyleSheets) 가

Scss CSS pre-processor CSS CSS

-
-
- Import
- Nesting
- Mixin
- Extend / Inheritance

가

Sass Sass 가 Sass(.scss) CSS

- [Sass](#)

☐ (Header Label), ~ (jhgong, 2020-05-29)

CSS Note

- [css note](#)
- (,), How to Center an Image Vertically and Horizontally with CSS
- , , [button](#)

From:

<https://125.132.25.164/dokuwiki/> -
. - 2023.12

Permanent link:

<https://125.132.25.164/dokuwiki/doku.php?id=wiki:css>

Last update: **2023/01/13 18:44**

