

CSS 2D Transforms Methods

- description : CSS 2D Transforms Methods
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-18

Source of the article

- [2D Transforms Methods](#)

CSS transform 2D

- translate()
- rotate()
- scaleX()
- scaleY()
- scale()
- skewX()
- skewY()
- skew()
- matrix()

The translate() Method



translate()
div X-
 Y-
 50px,
 100px

```
<!DOCTYPE html>
```

```
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>The translate() Method</title>
    <style>
        #div01 {
            border: 1px solid dodgerblue;
            width: 300px;
            height: 100px;
            background-color: yellowgreen;
            transform: translate(50px, 100px);
            -ms-transform: translate(50px, 100px);
        }
    </style>
</head>
<body>
    <h1>The translate() Method</h1>
    <p>
        The translate() method moves an element from its current position:
    </p>
    <div id="div01">
        This div element is moved 50 pixels to the right, and 100 pixels down from its current position.
    </div>
</body>
</html>
```

,, CSS, 2D, Transforms, Methods,, translate

From:
<http://rwiki.requia.com/> -

. - 2023.12



Permanent link:
http://rwiki.requia.com/doku.php?id=wiki:css:css_note:css_2d_transforms&rev=1616050121

Last update: **2022/03/10 19:52**