

# CSS Display

- description : CSS Display Property, Block-level Elements, Inline Elements
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-15

## Source of the article

- [CSS Display](#)

## The display Property

display 가 CSS .  
 display HTML display 가 . display  
 block inline .

## Block-level Elements

가 .

가

- <div>
- <h1> ~ <h6>
- <p>
- <form>
- <header>
- <footer>
- <section>

# Inline Elements

가

- <span>
- <a>
- <img>

## Display: none;

display: none

<script> display: none; 가

## Override The Default Display Value ( )

가

<li>

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Display</title>
  <style>
    li {
      display: inline; /* <li>
  .*/
  } /*
  </style>
  3 가 */

```

```

</head>

<body>

  <p>Display a list of links as a horizontal menu:</p>

  <ul>
    <li><a href="https://www.w3schools.com/html/default.asp"
target="_blank">HTML</a></li>
    <li><a href="https://www.w3schools.com/css/default.asp"
target="_blank">CSS</a></li>
    <li><a href="https://www.w3schools.com/js/default.asp"
target="_blank">Javascript</a></li>
  </ul>

</body>

</html>

```

Note:

가

display: block

가

가

<span>

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>inline element changed as block element</title>
  <style>
    span {
      display: block; /* span
    .*/
  }
  </style>
</head>

<body>

  <span>A display property with a value of "block" results
in</span><span>a line break between the two elements</span>

</body>

```

```
</html>
```

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Display links as block elements</title>
  <style>
    a {
      display: block;
    }
  </style>
</head>

<body>

  <p>Display links s block elements</p>
  <a href="https://www.w3schools.com/html/default.asp">HTML</a>
  <a href="https://www.w3schools.com/css/default.asp">CSS</a>
  <a href="https://www.w3schools.com/js/default.asp">Javascript</a>

</body>

</html>
```

## Hide an Element -display:none or visibility:hidden?

display none

가

```
<!DOCTYPE html>
<html lang="en">
```

```

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>visible heading</title>
  <style>
    h1.hidden {
      display: none; /* hidden h1 , .*/
    }
  </style>
</head>

<body>

  <h1>This is a visible heading</h1>
  <h1 class="hidden">This is a hidden heading</h1>
  <p>Notice tht the h1 element with display: none; does not take up any
space.</p>

</body>

</html>

```

visibility:hidden;

```

<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Visibility: hidden;</title>
  <style>
    h1.hidden {
      visibility: hidden;
    }
  </style>
</head>

<body>

  <h1>This is a visible heading</h1>
  <h1 class="hidden">This is a hidden heading</h1>

```

```
<p>Notice that the hidden heading still takes up space.</p>  
</body>  
</html>
```

„ CSS, Display,

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

[http://rwiki.repia.com/doku.php?id=wiki:css:css\\_note:css\\_display&rev=1615774987](http://rwiki.repia.com/doku.php?id=wiki:css:css_note:css_display&rev=1615774987)



Last update: **2022/03/10 19:52**