

# CSS Fonts

- description : CSS Font, Font-family, web safe, style, size, Google, Pairings, Shorthand
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-08

## Source of the article

- [CSS Fonts](#)
- [CSS Web Safe Fonts](#)
- [CSS Fonts Fallbacks](#)
- [CSS Font Style](#)
- [CSS Font Size](#)
- [CSS Google Fonts](#)
- [CSS Great Font Parings](#)
- [CSS Font Property](#)

# CSS Fonts

## Font Selection is Important( )

가

## Generic Font Families ( )

CSS 5

1. Serif ( ) 가
2. Sans-serif ( ) ( ).
3. Monospace ( ) 가 ,
4. Cursive ( )
5. Fantasy ( )



### Note:

, serif sans-serif 가



## CSS font-family

CSS , font-family

font-family “fallback ( )” 가 /  
가 (, ) .( ) 가 ,  
(, )

### Note:

, ex) “Times New Roman”

3

```
.p1 {  
  font-family: "Times New Roman", Times, serif;  
}  
  
.p2 {  
  font-family: Arial, Helvetica, sans-serif;
```

```
}

.p3 {
  font-family: "Lucida Console", "Courier New", monospace;
}
```

## CSS Web Safe Fonts

Web Safe Fonts ( )

### Fallback Fonts ( )

, web safe font가 100%  
가

, fallback

font-family 가  
가 , 'backup' 가

3가 : Tahoma, Verdana, sans-serif. (Verdana)

(sans-serif) 가 ( )

```
p {
  font-family: Tahoma, Verdana, sans-serif;
}
```

## Best Web Safe Fonts for HTML and CSS

HTML CSS

Web Safe Fonts

- Arial (sans-serif)
- Verdana (sans-serif)
- Helvetica (sans-serif)
- Tahoma (sans-serif)
- Trebuchet MS (sans-serif)

- Times New Roman (serif)
- Gerogia (serif)
- Garamond (serif)
- Courier New (monospace) - monospace:
- Brush Script MT (cursive) - cursive :

**Note:**

fallback , 가 .

10 Best Web Safe Fonts for HTML and CSS

## CSS Font Fallbacks

5 (Serif, Sans-serif, Monospace, Cursive, Fantasy)  
fallback  
CSS Font Fallbacks

## CSS Font Style

font-style

font-style 가 가 .

- normal - 가 .
- italic - 가 .
- oblique - 가 . (oblique , .)

```
p.normal {  
  font-style: normal;  
}  
  
p.italic {  
  font-style: italic;  
}  
  
p.oblique {  
  font-style: oblique;
```

}

# Font Weight

font-weight (weight)

```
p.normal {  
  font-weight: normal;  
}  
  
p.thick {  
  font-weight: bold;  
}
```

## Font Variant ( )

font-variant 가 'small-caps ( 小大文字 )'

small-caps ,

```
p.normal {  
  font-variant: normal;  
}  
  
p.small {  
  font-variant: small-caps;  
}
```

# CSS Font Size

font-size

<h1>~<h6>, <p> - HTML  
absolute size relative size 가 .

## Absolute size:

## Relative size:

- 가

**Note:**

16px(=1em)

# Set Font Size With Pixels ( )

```
h1 {  
  font-size: 40px;  
}  
  
h2 {  
  font-size: 30px;  
}  
  
p {  
  font-size: 14px;  
}
```

{}

Tip: (zoom tool)

## Set Font Size With Em

가 , em  
1em 16px  
pixels/16=em em

```
h1 {  
  font-size: 2.5em; /* 40px/16=2.5em */  
}  
  
h2 {  
  font-size: 1.875em; /* 30px/16=1.875em */  
}  
  
p {  
  font-size: 0.875em; /* 14px/16=0.875em */  
}
```

, em , em

,

가

,

## Use a Combination of Percent and Em

<body> em

```
<!DOCTYPE html>
```

```
<html>
<head>
<style>
body {
  font-size: 100%;
}

h1 {
  font-size: 2.5em;
}

h2 {
  font-size: 1.875em;
}

p {
  font-size: 0.875em;
}
</style>
</head>
<body>

<h1>This is heading 1</h1>
<h2>This is heading 2</h2>
<p>This is a paragraph.</p>
<p>Specifying the font-size in percent and em displays the same size in all
major browsers, and allows all browsers to resize the text!</p>

</body>
</html>
```

zoom

# Responsive Font Size ( )

vw (viewport width)

```
<h1 style="font-size:10vw">Hello World</h1>
```

**Note:\ Viewport  
, 1vw 0.5cm**

**. 1vw = 1% of viewport width. viewport 50cm**

,, CSS, Font,, Font-family,, web, safe,, style,, size,, Google,, Pairings,, Shorthand

From:  
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:  
[http://rwiki.repia.com/doku.php?id=wiki:css:css\\_note:css\\_fonts&rev=1615196151](http://rwiki.repia.com/doku.php?id=wiki:css:css_note:css_fonts&rev=1615196151)

Last update: **2022/03/10 19:52**

