

CSS Links

- description : CSS Links, Text Decoration, Background Color, Link Buttons,
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-12

Source of the article

- [CSS Links](#)

CSS links .

Styling Links

Links CSS (: color, font-family, background) .

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CSS Links</title>
  <style>
    a {
      color: hotpink;
    }
  </style>
</head>

<body>
```

```
<h2>CSS Links</h2>
<p><b><a href="default.asp" target="_blank">This is a link</a></b></p>

</body>

</html>
```

가 ,links links가 .

- a:link -
- a:visited - 가
- a:hover - 가
- a:active - 가

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CSS Links state</title>
  <style>
    /* unvisited link */
    a:link {
      color: red;
    }

    /* visited link */
    a:visited {
      color: green;
    }

    /* mouse over link */
    a:hover {
      color: hotpink;
    }

    /* selected link */
    a:active {
      color: blue;
    }
  </style>
</head>
```

```

<body>
  <h2>CSS Links state</h2>
  <p><b><a href="https://www.w3schools.com/css/default.asp"
target="_blank">This is a link</a></b></p>
  <p><b>Note:</b>a: hover MUST come after a: link and a: visited in the CSS
definition in order to be effective. (a: hover가
      CSS      a: link  a: visited
) </p>
  <p><b>Note:</b>a: active MUST come after a: hover in the CSS definition in
order to be effective. (a: active가      가
      CSS      a: hover      . </p>
</body>
</html>

```

* a: hover a: link a: visited

* a: active a: hover

Text Decoration

text-decoration

```

<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>CSS Link Text Decoration</title>
  <style>
    a: link {
      color: red;
      text-decoration: none;
    }

```

```
    a:visited {
        color: green;
        text-decoration: none;
    }

    a:hover {
        color: hotpink;
        text-decoration: underline;
    }

    a:active {
        color: blue;
        text-decoration: underline;
    }
</style>
</head>

<body>
    <h2>CSS Link Text Decoration</h2>
    <p><b><a href="https://www.w3schools.com/css/css_link.asp">This is a
link</a></b></p>
    <p><b>Note:</b>a:hover MUST come after a:link and a:visited in the CSS
definition in order to be effective.</p>
    <p><b>Note:</b>a:active MUST come after a:hover in the CSS definition in
order to be effective</p>
</body>

</html>
```

Background Color

background-color

```
<!DOCTYPE html>
<html lang="en">

<head>
    <meta charset="UTF-8">
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>CSS Link Text Decoration</title>
```

```
<style>
  a:link {
    color: red;
    text-decoration: none;
    background-color: yellow;
  }

  a:visited {
    color: green;
    text-decoration: none;
    background-color: cyan;
  }

  a:hover {
    color: hotpink;
    text-decoration: underline;
    background-color: lawngreen;
  }

  a:active {
    color: blue;
    text-decoration: underline;
    background-color: hotpink;
  }
</style>
</head>

<body>
  <h2>CSS Link Text Decoration</h2>
  <p><b><a href="https://www.naver.com">This is a link</a></b></p>
  <p><b>Note:</b>a:hover MUST come after a:link and a:visited in the CSS
definition in order to be effective.</p>
  <p><b>Note:</b>a:active MUST come after a:hover in the CSS definition in
order to be effective</p>
</body>

</html>
```

Links Buttons

/

CSS

```
<!DOCTYPE html>
<html lang="en">

<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Links Button</title>
  <style>
    a:link {
      background-color: dodgerblue;
      color: yellow;
      padding: 14px 25px;
      text-align: center;
      text-decoration: none;
      display: inline-block;
    }

    a:visited {
      background-color: #f44336;
      color: white;
      padding: 14px 25px;
      text-align: center;
      text-decoration: none;
      display: inline-block;
    }

    a:hover {
      background-color: gold;
    }

    a:active {
      background-color: green;
    }
  </style>
</head>

<body>

  <h2>Link Button</h2>
  <p>A link styled as a button:</p>
  <a href="https://www.netflix.com" target="_blank">This is a link</a>
</body>

</html>
```

```
<!DOCTYPE html>
<html lang="en">
```

```
<head>
  <meta charset="UTF-8">
  <meta http-equiv="X-UA-Compatible" content="IE=edge">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Links examples</title>
  <style>
    a:link,
    a:visited {
      background-color: white;
      color: black;
      border: 2px solid green;
      padding: 10px 20px;
      text-align: center;
      text-decoration: none;
      display: inline-block;
    }

    a:hover,
    a:active {
      background-color: green;
      color: white;
    }
  </style>
</head>

<body>

  <a href="https://www.w3schools.com" target="_blank">W3SCHOOL - This is a
link</a>

</body>

</html>
```

„ CSS, link, text, decoration,

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
http://rwiki.repia.com/doku.php?id=wiki:css:css_note:css_links&rev=1615528608



Last update: **2022/03/10 19:52**