

CSS Pseudo-classes

- description : CSS Pseudo-classes
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

What are Pseudo-classes?

(Pseudo classes,)

,

- 가
- (visited) (unvisited)
- (focus)

Syntax

```
selector:pseudo-class { property: value; }
```

Anchor Pseudo-classes ()

```
CSS Links /* unvisited link */ a:link { color: red; } /* visited link */ a:visited { color: green; } /* mouse over link */ a:hover { color: hotpink; } /* selected link */ a:active { color: blue; }
```

CSS Links

This is a link 02

Note: a:hover come after a:link and a:visited in the CSS definition in order to be effective.

Note: a:active MUST come after a:hover in the CSS definition in order to be effective.

Note:

a:hover	CSS	a:link	a:visited
a:active	CSS	a:hover	.

Pseudo-classes and CSS Classes

CSS

가 가 ,

```
a.highlight:hover { color: #ff0000; }
```

Pseudo-classes and CSS Classes

When you hover over the first link below, it will change color:

[CSS Syntax](#)

[CSS Tutorial](#)

, [CSS](#), [Pseudo-classes](#)

From:

<http://rwiki.requia.com/> -

- 2023.12

Permanent link:

http://rwiki.requia.com/doku.php?id=wiki:css:css_note:css_pseudo-class&rev=1617013695 

Last update: **2022/03/10 19:52**