

CSS Pseudo-classes

- description : CSS Pseudo-classes
- author :
- email : shlim@repia.com
- lastupdate : 2021-03-29

What are Pseudo-classes?

가 (Pseudo classes, ,)

- 가
- (visited) (unvisited)
- (focus)

Syntax

가

```
selector:pseudo-class { property: value; }
```

Anchor Pseudo-classes (가)

```
CSS Links /* unvisited link */ a:link { color: red; } /* visited link */ a:visited { color: green; } /* mouse over link */ a:hover { color: hotpink; } /* selected link */ a:active { color: blue; }
```

CSS Links

[This is a link 02](#)

Note: a:hover come after a:link and a:visited in the CSS definition in order to be effective.

Note: a:active MUST come after a:hover in the CSS definition in order to be effective.

Note:

a:hover CSS a:link a:visited .
a:active CSS a:hover .
가 .

Pseudo-classes and CSS Classes

가 CSS .
가 가 , .

```
a.highlight:hover { color: #ff0000; }
```

Pseudo-classes and CSS Classes

When you hover over the first link below, it will change color:

[CSS Syntax](#)

[CSS Tutorial](#)

Hover on <div>

```
<div> :hover 가 .
```

```
div { background-color: green; color: white; padding: 25px; text-align: center; } div:hover { background-color: blue; ; }
```

Mouse over the div element below to change its background color:

Mouse Over Me

Simple Tooltip Hover

<hover> 가 가 (tooltip) <p> .

```
p { display: none; background-color: yellow; padding: 20px; } div:hover p { display: block; }
Hover over me to show the p element
```

Tada! Here I am!

CSS - The :first-child Pseudo-class

first-child 가 .

Match the first <p> element

(selector) <p> .

```
p:first-child { color: blue; }
```

This is some text.

This is some text.

Match the first <i> element in all <p> elements

(selector) <p> <i> .

```
p i:first-child { color: blue; }
```

I am a *strong* person. I am a *strong* person

I am a *strong* person. I am a *strong* person

Match all `<i>` elements in all first child `<p>` elements

`p:first-child i` (selector) `<p>` `<i>`

```
p:first-child i { color: blue; }
```

I am a *strong* person. I am a *strong* person

I am a *strong* person. I am a *strong* person

[, CSS, Pseudo-classes](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: http://rwiki.repia.com/doku.php?id=wiki:css:css_note:css_pseudo-class&rev=1617015820 

Last update: **2022/03/10 19:52**