2025/12/18 23:24 1/5 CSS Pseudo-classes

CSS Pseudo-classes

```
• description : CSS Pseudo-classes
```

• author :

email : shlim@repia.comlastupdate : 2021-03-29

What are Pseudo-classes?

Syntax

```
가 selector:pseudo-class { property: value; }
```

Anchor Pseudo-classes (가

CSS Links /* unvisited link */ a:link { color: red; } /* visited link */ a:visited { color: green; } /* mouse over link */ a:hover { color: hotpink; } /* selected link */ a:active { color: blue; }

CSS Links

This is a link 02

Note: a:hover come after a:link and a:visited in the CSS definition in order to be effective.

Note: a:active MUST cone after a:hover in the CSS definition in order to be effective.

Note:

19:52

Pseudo-classes and CSS Classes

가 CSS . 가 가 , . .

a.hightlight:hover { color: #ff0000; }

Pseudo-clsses and CSS Classes

When you hover over the first link below, it will change color:

CSS Syntax

CSS Tutorial

Hover on <div>

<div> :hover 가 .

div { background-color: green; color: white; padding: 25px; text-align: center; } div:hover { background-color: blue; ; }

Mouse over the div element below to change its background color:

Mouse Over Me

http://rwiki.repia.com/ Printed on 2025/12/18 23:24

2025/12/18 23:24 3/5 CSS Pseudo-classes

Simple Tooltip Ho

<hover> 가 가 (tooltip) .

p { display: none; background-color: yellow; padding: 20px; } div:hover p { display: block; } Hover over me to show the p element

Tada! Here I am!

CSS - The :first-child Pseudo-class

first-child 가 . .

Match the first element

(selector) .

p:first-child { color: blue; }

This is some text.

This is some text.

Match the first <i> element in all elements

(selector) <i> .

p i:first-child { color: blue; }

I am a *strong* person. I am a *strong* person

I am a *strong* person. I am a *strong* person

Match all <i> elements in all first child elements

, (selector) <i>:
p:first-child i { color: blue; }
I am a strong person. I am a strong person

CSS - The :lang Pseudo-class

I am a *strong* person. I am a *strong* person

:lang lang = "no" <q> (quotation marks)

q:lang(no) { quotes: "~""~"; }

Some text A quote in a paragraph Some text.

In this exmaple, ;lang defines the quotation marks for q elements with lang="no":
가 (~)

All CSS Pseudo Classes

Selector	Example	Example description					
:active	a:active						
:checked	input:checked	<input/>					
:disabled	input:disabled	<input/> .					
:empty	p:empty						
:enabled	input:enabled	<input/>					
:first-child	p:first-child						
:first-of-type	p:first-of-type	<					
:foucs	input:focus	가 <input/> .					
:hover	a:hover						
:in-range	input:in-range	가 <input/>					

http://rwiki.repia.com/ Printed on 2025/12/18 23:24

2025/12/18 23:24 5/5 CSS Pseudo-classes

Selector	Example	Example description					
:active	a:active						
invalid:	input:invalid		가	,	<input/>		
:lang(language)	p:lang(it)	"it"	lang		가	<	
:last-child	p:last-child						
:last-of-type	p:last-of-type						
:link	a:link						
:not(selected)	:not(p)	가					
:nth-child(n)	p:nth-child(2)			<	:p>		
:nth-last-child(n)	p:nth-last-child(2)	<					
:nth-last-of-type(n) p:nth-last-of-type(2)	<		,			
:nth-of-type(n)	p:nth-of-type(2)						
only-of-type	p:only-of-type						
only-child:	p:only-child						
optional	input:optional	<input/>					
out-of-range	input:out-of-range			가	<input/>		
read-only	input:read-only	"readonly"		<	input>		
read-write	input:read-write	"readonly"		<inp< td=""><td>ut></td><td></td></inp<>	ut>		
required	:input:required	"required() "	-	<inp< td=""><td>ut></td></inp<>	ut>	
root	root	root					
target	#news:target	U	#news)		(
:valid	input:valid	가		input>			
:visited	a:visited						

, CSS, Pseudo-classes

From:

http://rwiki.repia.com/ -

. - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:css:css_note:css_pseudo-class&rev=1617064069

Last update: 2022/03/10 19:52

