

CSS Variables

- description : CSS Variables - The var() Function
- author :
- email : shlim@repia.com
- lastupdate : 2021-05-04

Source of the article

[CSS Variables - The var\(\) Function](#)

var() CSS

CSS DOM

JavaScript

CSS

The Traditional Way

().

Example

```

body {
  background-color: #1e90ff;
}

h2 {
  border-bottom: 2px solid #1e90ff;
}

.container {
  color: #1e90ff;
  background-color: #ffffff;
  padding: 15px;
}

button {
  background-color: #ffffff;

```

```
color: #1e90ff;  
border: 1px solid #1e90ff;  
padding: 5px;  
}
```

Syntax of the var() Function

var() CSS

var() :

```
var(name, value)
```

Value	Description
name	. 2
value	. , (fallback value)

Note: (--)

How var() Works

: CSS 가 .
(global scope) / ,
(local scope) (selector) .
:root 가 , :root .
가 , .
, var() .
, (--blue --white) .
var() .

Example

```
:root {
```

```

    /* Global variables */
    --blue: #1e90ff;
    --white: #ffffff;
  }

  body {
    background-color: var(--blue);
  }

  h2 {
    border-bottom: 2px solid var(--blue);
  }

  .container {
    color: var(--blue);
    background-color: var(--white);
    padding: 15px;
  }

  button {
    background-color: var(--white);
    color: var(--blue);
    border: 1px solid var(--blue);
    padding: 5px;
  }

```

var()

- ()
- .

, 가

Example

```

:root {
  /* Global variables */
  --blue: #6495ed;
  --white: #faf0e6;
}

body {
  background-color: var(--blue);
}

h2 {
  border-bottom: 2px solid var(--blue);
}

```

```
.container {  
  color: var(--blue);  
  background-color: var(--white);  
  padding: 15px;  
}  
  
button {  
  background-color: var(--white);  
  color: var(--blue);  
  border: 1px solid var(--blue);  
  padding: 5px;  
}
```

CSS var() Function

Property	Description
var()	CSS

[var\(\)](#), [CSS](#), [Variables](#), [var\(\)](#), [function](#)

From:

<http://wiki.repia.com/> -

. - 2023.12

Permanent link:

http://wiki.repia.com/doku.php?id=wiki:css:css_note:css_variables_-_the_var_function 

Last update: **2023/01/13 18:44**