

CSS

- description : CSS
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-13

WIKI: [HTML JAVASCRIPT](#)

Case Study

Grid

CSS Layout

flex

```
1
  flxe, flex(column)
  row, column
```

grid

```
2
  display: grid
```

grid-template-columns:

```
grid-template-columns: 100px 100px 100px 100px
```

```
grid-template-columns: repeat(5, 100px)
```

```
grid-template-columns: repeat(5, 20%)
```

```
grid-template-columns: 1fr 2fr 1fr
```

```
grid-template-columns: repeat(5, 1fr)
```

grid-template-rows

```
grid-auto-rows: 150px
```

```
grid-auto-rows: minmax(150px, auto)
```

grid-template-areas: grid cell labeling

```
grid-gap: 10px
```

```
grid-column-gap: 10px
```

```
grid-row-gap: 10px
```

```
    grid cell
grid-column-start, grid-column-end, grid-row-start, grid-row-end:
1  (0      )
    grid-column-start: 2;
    grid-column-end: 4;
    grid-row-start: 1;
    grid-row-end: 3
or
    grid-column: 2 / 4;
    grid-row: 1 / 3;
or
    grid-column: 2 / span 2
    grid-row: 1 / 3;
',
    grid-column: 2 / -1
    grid-row: 1 / 3;

grid-area

body {
padding: 5rem;
background-color: black;
}

.container {
display: grid;
grid-template-columns: repeat(3, 1fr);
grid-auto-rows: 150px;
grid-gap: 1rem;
grid-template-areas:
    'a a a'
    'b c c'
    'b d g'
    'e f g'
}

.image {
width: 100%;
height: 100%;
object-fit: cover;
}

.image1 {
grid-area: a
}

.image2 {
```

```
    grid-area: b
  }

  .image3 {
    grid-area: c
  }

  .image4 {
    grid-area: d
  }

  .image5 {
    grid-area: e
  }

  .image6 {
    grid-area: f
  }

  .image7 {
    grid-area: g
  }
}
```

```
body {
  width: 100vw;
  height: 100vh;
  margin: 0;
  display: grid;
  grid-template-columns: 3fr 1fr;
  grid-template-rows: 100px auto 50px;
  grid-template-areas:
    'header header'
    'main side'
    'footer footer';
}

header {
  grid-area: header;
}

main {
  grid-area: main;
}

aside {
  grid-area: side;
}

footer {
  grid-area: footer;
}
```

```
}
```

CSS Flexbox . !!

CSS Grid

Emmet, HJTML

unsplash

Plugin

font-awesome

```
<link href="/fonts/font-awesome/css/all.min.css" rel="stylesheet"/>
<link rel="stylesheet" href="/components/font-awesome/css/font-
awesome.min.css">
```

bootstrap

```
<link rel="stylesheet"
href="/components/bootstrap/dist/css/bootstrap.min.css">
```

Ionicons

, SVG

```
<link rel="stylesheet" href="/components/Ionicons/css/ionicons.min.css">
```

AdminLTE

Bootstrap , Adminlet3

, , , , , ,

```
<link rel="stylesheet" href="/dist/css/AdminLTE.min.css">
```

adminty

Bootstrap , Adminty

Bootstrap

Admnty

가

Admnty

Admnty 가

가

google font

```
<link rel="stylesheet"
href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,600,700,300italic,400italic,600italic">
```

overlayScrollbars

```
<link
th:href="${#httpServletRequest.getContextPath()}/plugins/overlayScrollbars/css/OverlayScrollbars.min.css" rel="stylesheet" />
```

daterangepicker

```
<link
th:href="${#httpServletRequest.getContextPath()}/plugins/daterangepicker/daterangepicker.css" rel="stylesheet" />
```

summernote-bs4.css

```
<link
th:href="${#httpServletRequest.getContextPath()}/plugins/summernote/summernote-bs4.css" rel="stylesheet" />
```

How To Add CSS

External CSS

```
<!DOCTYPE html>  
<html>  
<head>  
  <link rel="stylesheet" type="text/css" href="mystyle.css" />  
</head>  
<body>  
</body>  
</html>
```

Internal CSS

```
<!DOCTYPE html>  
<html>  
<head>  
<style>  
body {  
  background-color: linen;  
}  
  
h1 {  
  color: maroon;  
  margin-left: 40px;  
}  
</style>  
</head>  
<body>  
</body>  
</html>
```

[How To Add CSS](#)

Tag Cloud

<https://demo.chattymango.com/shuffle-box/>
<http://dimox.name/beautiful-tags-markup/>

Tip

CSS

```
span {
```


. 2020-05-29)

CSS Note

- [css note](#)

, [button](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:css&rev=1665483278>



Last update: **2022/10/11 19:14**