

, Oracle

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-09

/

1. ()

```
sqlplus "/as sysdba"
SQL>
```

2.

```
$> lsnrctl stop // shell \
```

3.

```
SQL> shutdown immediate
```

4.

```
SQL> startup
```

5.\$> lsnrctl start shell

```
===== DB ===== 1. 2. 3.
===== DML( ) ===== VIEW <code sql> SELECT view_name, text FROM
USER_VIEWS WHERE view_name = 'VW_SEARCH_BOARD' </code> ===== DDL =====
<code sql> SQL> CREATE USER ${USER} identified by "${PASSWORD}" DEFAULT TABLESPACE
${TABLESPACE} TEMPORARY TABLESPACE ${TEMP_TABLESPACE} QUOTA UNLIMITED ON
${TABLESPACE}; </code> <code sql> SQL> GRANT CREATE SESSION, CREATE TABLE TO
${USER} </code> <code sql> SQL> DROP USER ${USER} cascade; </code>
LOCK (dba user , system, ...) <code sql> SQL> SELECT * FROM DBA_USERS; SQL> ALTER
USER ${USER} ACCOUNT UNLOCK; </code> , ===== View
SELECT ===== <code sql> SQL> SELECT view_name, text FROM USER_VIEWS WHERE
VIEW_NAME = '${TableName}' </code> ===== <code sql>
SQL> SELECT TABLE_NAME, COLUMN_NAME, DATA_TYPE FROM USER_TAB_COLS WHERE TABLE_NAME
= '${TableName}'; </code> ===== 12 가
30byte , 12 256byte JDBC
ojdbc14.jar - jdk1.4 ojdbc6.jar - jdk6 ojdbc7.jar - jdk7 ojdbc8.jar - jdk8 ===== SQL Developer
===== ${SQL }/ide/bin 'ide.conf'
<code ini> AddVMOption -Xms128M AddVMOption -Xmx800M </code> SQL DEVELOPER
===== Ref ===== * [Oracle] * sid, service name
* centos7 oracle 11g r2 1/5 - * Oracle 11g Instance *
```

[\[Admin\]\[Oracle\]](#) * [\[ORACLE\]DB](#) [1 -Original Utility](#)
[exp/imp](#) * [\[Oracle\]](#) [\(Sequence\)](#) [\(, , , \)](#) *
*(alter sequence startwith ???) * 1.*
 , , , oracle, view

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:database:oracle&rev=1587084292>



Last update: **2022/03/10 19:52**