

, Oracle

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-09

/

1. ()

```
sqlplus "/as sysdba"
SQL>
```

2. (Shell)

```
$> lsnrctl stop
```

3.

```
SQL> shutdown immediate
```

4.

```
SQL> startup
```

5.

```
$> lsnrctl start
```

DB

1. 2. 3.

DML()

VIEW

```
SELECT view_name, text FROM USER_VIEWS WHERE view_name = 'VW_SEARCH_BOARD'
```

DDL

```
SQL> CREATE USER ${USER} IDENTIFIED BY "${PASSWORD}"
      DEFAULT TABLESPACE ${TABLESPACE}
      TEMPORARY TABLESPACE ${TEMP_TABLESPACE}
      QUOTA UNLIMITED ON ${TABLESPACE};
```

```
SQL> GRANT CREATE SESSION, CREATE TABLE TO ${USER}
```

```
SQL> DROP USER ${USER} cascade;
```

LOCK (dba user , system, ...)

```
SQL> SELECT * FROM DBA_USERS;
SQL> ALTER USER ${USER} ACCOUNT UNLOCK;
```

(ORA-65096:

.)

View SELECT

```
SQL> SELECT view_name, text FROM USER_VIEWS WHERE VIEW_NAME = '${TableName}'
```

```
SQL> SELECT TABLE_NAME, COLUMN_NAME, DATA_TYPE FROM USER_TAB_COLS WHERE
      TABLE_NAME = '${TableName}';
```

12 JDBC 가 30byte , 12 256byte

```
ojdbc14.jar - jdk1.4
ojdbc6.jar - jdk6
ojdbc7.jar - jdk7
ojdbc8.jar - jdk8
```

SQL Developer

```
}${SQL }/ide/bin 'ide.conf'
```

```
AddVMOption -Xms128M
AddVMOption -Xmx800M
```

SQL DEVELOPER

```
REGEXP_REPLACE( , '([[:punct:]][:space:]]', '' )
```

Ref

- [Oracle]
- sid, service name
- centos7 oracle 11g r2 1/5 -
- Oracle 11g Instance
- [Admin][Oracle]
- [ORACLE]DB 1 -Original Utility exp/imp
- [Oracle] (Sequence) (, , ,)
- (alter sequence startwith ???)
- 1.
- CentOS7 18c
- , , , slaptear, , oracle, view

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:database:oracle&rev=1671678712>



Last update: **2022/12/22 12:11**