

DDL

```
SQL> CREATE USER ${USER} IDENTIFIED BY "${PASSWORD}"
      DEFAULT TABLESPACE ${TABLESPACE}
      TEMPORARY TABLESPACE ${TEMP_TABLESPACE}
      QUOTA UNLIMITED ON ${TABLESPACE};
```

```
SQL> GRANT CREATE SESSION, CREATE TABLE TO ${USER}
```

```
SQL> DROP USER ${USER} cascade;
```

LOCK (dba user , system, ...)

```
SQL> SELECT * FROM DBA_USERS;
SQL> ALTER USER ${USER} ACCOUNT UNLOCK;
```

(ORA-65096:

.)

```
REGEXP_REPLACE( , '([[:punct:]][:space:]]', '')
```

[SQL] sysdate , (BITAND, BITOR(가)) [] (bit) There is no BITOR() in Oracle
SQL

n
[Oracle] n 2가

View

```
SQL> SELECT view_name, text FROM USER_VIEWS WHERE VIEW_NAME = '${TableName}'
```

```
SQL> SELECT TABLE_NAME, COLUMN_NAME, DATA_TYPE FROM USER_TAB_COLS WHERE
TABLE_NAME = '${TableName}';
```

[Oracle] (Sequence) (가,)

12 JDBC 가 30byte , 12 256byte

```
ojdbc14.jar - jdk1.4
ojdbc6.jar - jdk6
ojdbc7.jar - jdk7
ojdbc8.jar - jdk8
```

SQL Developer

\${SQL }/ide/bin 'ide.conf'

```
AddVMOption -Xms128M
AddVMOption -Xmx800M
```

SQL DEVELOPER

Tip

Troubleshooting

- [ORA-01555 Snapshot too old](#)

Ref

- [\[Oracle\]](#)
- [sid, service name](#)
- [centos7 oracle 11g r2 1/5 -](#)
- [Oracle 11g Instance](#)

