

SQL

- description : SQL
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-18

CASE...WHEN...THEN

[DBMS_Oracle] CASE..WHEN...THEN
[MySQL] CASE

Date

Oracle : sysdate

```
SELECT sysdate FROM dual;
```

MariaDB, Mysql : now()

```
SELECT now() FROM dual;
```

Distinct

[Oracle SQL] DISTINCT

Where

IN

```
SELECT user_num , user_id , user_mobile , user_gender , user_amount ,  
user_addr  
FROM User_Table  
WHERE user_id IN ('user1','user3')  
ORDER BY user_num DESC;
```

Column

Select

WHERE IN

.

Ref

[sysdate](#) [mysql](#) [mariadb](#) [?](#)

Tip

- [\[MySQL/Oracle\] max, min](#) [가](#) [row select](#)
- [\[SQL\]](#) [\(ALIAS\)](#)

Trouble shooting

- [U115: Subquery in FROM must have an alias](#)

Trouble shooting

[, sql,](#)

From:

<http://rwiki.repia.com/> -
2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:database:sql&rev=1585738178>

Last update: **2022/03/10 19:52**

