

CDT

- description : Eclipse c, cplusplus
- author :
- email : dhan@repia.com
- lastupdate : 2020-05-19

ECLIPSE CDT & JNI (JAVA NATIVE INTERFACE) WITH 64 BIT MINGW - 2020

Linux C Programming
Importing C Code Files Into Eclipse

Cross GCC vs Linux GCC(Native)

가 가

C/Cplusplus

library (pthread, socket,)

1. Project → Properties
2. C/Cplusplus Build → Settings
3. Tool Settings → GCC Linker → Libraries

pthread, iconv

[Wiki] Ubuntu Eclipse CDT thread undefined references with pthread create 가

-fPIC

1. Project → Properties
2. C/Cplusplus Build → Settings
3. Tool Settings → GCC Compiler → Miscellaneous
4. Position Independent Code (-fPIC) check!!

Makefile

1. Project → Properties
2. C/Cplusplus Build
3. Builder Settings → Makefile generation

Generate Makefiles automatically Apply

1. Project → Properties
2. C/Cplusplus General → Paths and Symbols
3. Source Location

1. Project → Properties
2. C/Cplusplus Build → Settings
3. Build Artifact

Artifact Type: Executable | Shared Library | Static Library

1. Project → Properties
2. C/Cplusplus General → Paths and Symbols
3. Output Location

(Formatter)

1. Windows → Preferences
 2. C/Cplusplus → Code Style → Formatter
 3. BSD/Allman
1. Mouse right click → Source → Format

Tip

[Detecting Memory Leaks With Valgrind](#)

Troubleshooting

Ref

, [cdt](#), [mingw](#), [dbcp](#)

From:

<http://rwiki.repia.com/> -
2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:eclipse:cdt&rev=1589875478>

Last update: **2022/03/10 19:52**

