

Resin

- description : Resin
- author :
- email : dhan@repia.com
- lastupdate : 2020-06-04

Eclipse

1. resin

[resin download](#)

Resin Pro 4.0.x OS .

2. resin

Tip: WAS . (jboss, tomcat, weblogic, jeus, resin, ...)



3. eclipse 가

3.1 Window > Preferences → Server > Runtime Environments .



3.2 Add... .



3.3 Regin > Resin (Java EE Web Profile) Server > Next

I accept the terms of the license agreement Click & Finish



Install, Restart ...



Jndi

jndi(Java Naming and Directory interface) // Was Server

```
<database>
  <jndi-name>jdbc/mysql</jndi-name>
  <driver type="com.mysql.jdbc.Driver">
    <url>jdbc:mysql://localhost:3306/database</url>
    <user>user</user>
    <password>password</password>
  </driver>
  <prepared-statement-cache-size>64</prepared-statement-cache-size>
  <max-connections>20</max-connections>
  <max-idle-time>30s</max-idle-time>
</database>
```

```

<database>
  <jndi-name>jdbc/oracle</jndi-name>
  <driver type="oracle.jdbc.pool.OracleConnectionPoolDataSource">
    <url>jdbc:oracle:thin:@127.0.0.1:1521:xe</url>
    <user>user</user>
    <password>password</password>
    <connectionProperties>
      <SetBigStringTryClob>true</SetBigStringTryClob>
    </connectionProperties>
  </driver>

  <prepared-statement-cache-size>64</prepared-statement-cache-size>
  <max-connections>20</max-connections>
  <max-idle-time>30s</max-idle-time>
</database>

<database>
  <jndi-name>jdbc/mssql</jndi-name>
  <driver type="com.microsoft.sqlserver.jdbc.SQLServerDriver">
    <url>jdbc:sqlserver:// 127.0.0.1:1433;DatabaseName=database</url>
    <user>user</user>
    <password>password</password>
  </driver>
  <prepared-statement-cache-size>64</prepared-statement-cache-size>
  <max-connections>20</max-connections>
  <max-idle-time>30s</max-idle-time>
</database>

<database>
  <jndi-name>jdbc/db2</jndi-name>
  <driver type="com.ibm.db2.jcc.DB2Driver">
    <url>jdbc:db2://127.0.0.1:50000/database</url>
    <user>user</user>
    <password>password</password>
  </driver>
  <prepared-statement-cache-size>64</prepared-statement-cache-size>
  <max-connections>20</max-connections>
  <max-idle-time>30s</max-idle-time>
</database>

```

```

<%@ page contentType="text/html; charset=utf-8" %>
<%@ page import="javax.naming.*, java.sql.*, javax.sql.*" %>
<%
String jndi = "java:comp/env/jdbc/mysql";
InitialContext ctx = new InitialContext();    //

DataSource ds = (DataSource)ctx.lookup(jndi); //

```

가

```
Connection conn = null;
Statement stmt = null;
ResultSet rs = null;

try
{
    conn = ds.getConnection();
    stmt = conn.createStatement();
    rs = stmt.executeQuery("SELECT name, email, age FROM tb_user");
    while(rs.next())
    {
        out.println(rs.getString("name") + "<br>");
    }
}
catch(Exception e)
{
    out.print(e);
}
finally //
{
    if(rs != null) rs.close(); rs = null;
    if(stmt != null) stmt.close(); stmt = null;
    if(conn != null) conn.close(); conn = null;
}
%>
```

Tip

Troubleshooting

Ref

(Resin)

Java+Resin+Eclipse = JSP

From:

<http://rwiki.repia.com/> -
2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:eclipse:resin&rev=1591238763>

Last update: **2022/03/10 19:52**

