2025/10/26 02:11 1/5 Ckeditor5

Ckeditor5

```
description: Ckediotr5
author: slaptear
email: sgjang@repia.com
lastupdate: 2023-03-02
```

```
• CKEditor5 57 7 Classic editor Document editor 27 • editor • editor Ckeditor5 CDN Script head • CKEditor5 ( Ref )

<script src="https://cdn.ckeditor.com/ckeditor5/36.0.1/decoupled-document/ckeditor.js"></script>
```

Classic editor

editor div textarea

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
    <title>CKEditor 5 - Classic editor</title>
src="https://cdn.ckeditor.com/ckeditor5/36.0.1/classic/ckeditor.js"></script</pre>
>
</head>
<body>
    <h1>Classic editor</h1>
    <div id="editor"> //
        This is some sample content.
    </div>
    <script>
        ClassicEditor
            .create( document.querySelector( '#editor' ) )
            .catch( error => {
                console.error( error );
            } );
    </script>
</body>
</html>
```

Document editor

```
toolbar editoreditor toolbar div
```

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="utf-8">
   <title>CKEditor 5 - Document editor</title>
   <script
src="https://cdn.ckeditor.com/ckeditor5/36.0.1/decoupled-document/ckeditor.j
s"></script>
</head>
<body>
    <h1>Document editor</h1>
   <!-- editor toolbar container-->
   <div id="toolbar-container"></div>
   <!-- editor
   <div id="editor">
        This is the initial editor content.
   </div>
   <script>
       DecoupledEditor
            .create( document.querySelector( '#editor' ) )
            .then( editor => {
                const toolbarContainer = document.querySelector( '#toolbar-
container');
                toolbarContainer.appendChild( editor.ui.view.toolbar.element
);
            } )
            .catch( error => {
                console.error( error );
            } );
   </script>
</body>
</html>
```

Tip

http://rwiki.repia.com/ Printed on 2025/10/26 02:11

2025/10/26 02:11 3/5 Ckeditor5

```
let testEditor;
                                                editor
                                       =>
//
 ClassicEditor
        .create(document.querySelector( '#editor' ))
        .then( editor => {
              testEditor= editor;
                                             editor
         })
        .catch( error => {
         console.error( error );
         });
    가
testEditor.getData();
                                       =>
testEditor.setData('example'); =>
</script>
```

- CKEditor5
- Adapter

UploadAdapter

Custom image upload adapter

•

- CKEditor5
- CKEditor5

•

o file FormData controller

Controller

```
• url addObject

o フト フト フト base64 img src

.
o editor p img フト
```

```
@PostMapping(value = "url ")
public ModelAndView imageUpload (MultipartHttpServletRequest request) throws
Exception {

   String currContextPath = request.getContextPath();
   ModelAndView mv = new ModelAndView("jsonView");
   String savePath= null;  //
   String originalImagename= null;  //
   String imageName= null;  //
   String extension= null;  //
```

```
String realPathtoUploads =
EgovProperties.getProperty("globals.properties
    List<MultipartFile> imageList = request.getFiles("upload"); //
UploadAdapter
                sendRequest()
   for (MultipartFile mf : imageList) {
        if (imageList.get(0).getSize() > 0) {
            originalImagename = mf.getOriginalFilename();
                                                                        //
            extension = FilenameUtils.getExtension(originalImagename); //
            imageName = "img_" + UUID.randomUUID() + "." + extension;
                                                                        //
   가
            savePath = realPathtoUploads +"/"+imageName;
            File imageUpload = new File(savePath);
                mf.transferTo(imageUpload);
                                                                    =>
            } catch (IllegalStateException | IOException e) {
                e.printStackTrace();
            }
        }
    }
    savePath = "
                                                       .";
    log.debug("savePath=[{}]", savePath);
   mv.addObject("url", savePath);
    return mv;
}
```

```
Jenkinsglobals.propertie
```

- < >
- APPS Portal
- CMD 가
- '/WAS_APPS/tomcat-instance/apps.repia.com/deploy/' 'globals.properties' 가
- '/WAS APPS/tomcat-instance/apps.repia.com/webapps/ROOT/resource/()'

Ref

- CKEditor5
- CKEditor5

slaptear, ckeditor5

http://rwiki.repia.com/ Printed on 2025/10/26 02:11

2025/10/26 02:11 5/5 Ckeditor5

From:

http://rwiki.repia.com/ - . - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:editor:ckeditor5&rev=1677727102

Last update: 2023/03/02 12:18

