


```

System.out.println(appendIfMissing);
//           : ShowMeTheMoney

appendIfMissing = StringUtils.appendIfMissing("ShowMeTheMoney", "-
From.Choi", "test");
System.out.println(appendIfMissing);
//           : ShowMeTheMoney-From.Choi

```

StringUtils.appendIfMissingIgnoreCase (, 가 ,)

StringUtils.appendIfMissing

```

String appendIfMissingIgnoreCase =
StringUtils.appendIfMissingIgnoreCase("ShowMeTheMoney", "-From.Choi",
"money");
System.out.println(appendIfMissingIgnoreCase);
//           : ShowMeTheMoney

```

StringUtils.capitalize ()

```

String capitalize = StringUtils.capitalize("sss");
System.out.println(capitalize);
//           : Sss

```

StringUtils.chomp ()

\n, \r, \r\n

```

String.chomp = StringUtils.chomp("sss\n");
System.out.println(chomp);
//           : SSS

```

StringUtils.chomp (,)

가

```

String.chomp = StringUtils.chomp("sss#", "#");
System.out.println(chomp);
//           : SSS

```

StringUtils.chop ()

```
String chop = StringUtils.chop("sss");
System.out.println(chop);
//           : ss
```

StringUtils.center (,)

가
가 가 .

```
String center = StringUtils.center("sss", 5);
System.out.println("'" + center + "'");
//           : ' sss '
```

StringUtils.center (, , 가)

가 가
가 가 .

```
String center = StringUtils.center("sss", 6, "#");
System.out.println(center);
//           : #sss##
```

StringUtils.compare (,)

```
//'가', ' '
System.out.println((int) '가');
System.out.println((int) ' ');
//           : 44032
//           : 45208

int compare = StringUtils.compare("가", " ");
System.out.println(compare);
//           : -1176
int compare2 = StringUtils.compare(" ", "가");
System.out.println(compare2);
//           : 1176
```

StringUtils.compareToIgnoreCase (,)


```
StringUtils.containsOnly ( , )
```

```
'true' .
```

```
boolean containsOnly = StringUtils.containsOnly("hello", "olleh");
System.out.println(containsOnly);
//      : true

boolean containsOnly2 = StringUtils.containsOnly("hello", "hell");
System.out.println(containsOnly2);
//      : false
```

```
StringUtils.containsWhitespace ( )
```

```
'true' .
```

```
boolean containsWhitespace = StringUtils.containsWhitespace(" ");
System.out.println(containsWhitespace);
//      : true
```

```
StringUtils.countMatches ( , )
```

```
1 , 0 .
```

```
int countMatches = StringUtils.countMatches("ABCD", "A");
System.out.println(countMatches);
//      : 1

int countMatches2 = StringUtils.countMatches("ABCD", "AB");
System.out.println(countMatches2);
//      : 1

int countMatches3 = StringUtils.countMatches("ABCD", "AC");
System.out.println(countMatches3);
//      : 0
```

```
StringUtils.defaultIfBlank ( , )
```

```
space( ), , null .
```

```
String defaultIfBlank1 = StringUtils.defaultIfBlank(null, "A");
System.out.println(defaultIfBlank1);
//      : A

String defaultIfBlank2 = StringUtils.defaultIfBlank("", "A");
```

```
System.out.println(defaultIfBlank2);
//      : A

String defaultIfBlank3 = StringUtils.defaultIfBlank(" ", "A");
System.out.println(defaultIfBlank3);
//      : A
```

StringUtils.defaultIfEmpty (,)
null

```
String defaultIfEmpty1 = StringUtils.defaultIfEmpty(null, "B");
System.out.println(defaultIfEmpty1);
//      : B

String defaultIfEmpty2 = StringUtils.defaultIfEmpty("", "B");
System.out.println(defaultIfEmpty2);
//      : B

String defaultIfEmpty3 = StringUtils.defaultIfEmpty(" ", "B");
System.out.println(defaultIfEmpty3);
//      :
```

StringUtils.defaultString (,)
null

```
String defaultString1 = StringUtils.defaultString(null, "C");
System.out.println(defaultString1);
//      : C

String defaultString2 = StringUtils.defaultString("", "C");
System.out.println(defaultString2);
//      :

String defaultString3 = StringUtils.defaultString(" ", "C");
System.out.println(defaultString3);
//      :
```

StringUtils.deleteWhitespace ()

```
String deleteWhitespace = StringUtils.deleteWhitespace(" ");
System.out.println(deleteWhitespace);
```

```
// :
```

```
StringUtils.difference ( 1, 2)
```

```
2
```

```
String difference = StringUtils.difference("...", "...");
System.out.println(difference);
// :
```

```
StringUtils.endsWith ( , )
```

```
'true',
```

```
'false'
```

```
boolean endsWith = StringUtils.endsWith("...", ".");
System.out.println(endsWith);
// : true
```

```
boolean endsWith = StringUtils.endsWith("...", ".");
System.out.println(endsWith);
// : false
```

```
StringUtils.endsWithAny ( , 1, 2, ...)
```

```
StringUtils.endsWith
```

```
'true'
```

```
boolean endsWithAny = StringUtils.endsWithAny("AAA", "a");
System.out.println(endsWithAny);
// : false
```

```
boolean endsWithAny = StringUtils.endsWithAny("AAA", "a", "A");
System.out.println(endsWithAny);
// : true
```

```
StringUtils.endsWithIgnoreCase ( , )
```

```
StringUtils.endsWith
```

```
boolean endsWithIgnoreCase = StringUtils.endsWithIgnoreCase("BBB", "b");
System.out.println(endsWithIgnoreCase);
// : true
```

StringUtils.equals (1, 2)

'true'

```
boolean equals = StringUtils.equals("abcd", "abcd");
System.out.println(equals);
//      : true

boolean equals = StringUtils.equals("abcd", "Abcd");
System.out.println(equals);
//      : false
```

StringUtils.equalsIgnoreCase (,)

StringUtils.equals

```
boolean equalsIgnoreCase = StringUtils.equalsIgnoreCase("abcd", "Abcd");
System.out.println(equalsIgnoreCase);
//      : true
```

StringUtils.equalsAny (, 1, 2, ...)

StringUtils.equals

'true'

```
boolean equalsAny = StringUtils.equalsAny("abcd", "a", "ab", "abcd");
System.out.println(equalsAny);
//      : true
```

StringUtils.equalsAnyIgnoreCase (, 1, 2, ...)

StringUtils.equalsAny

```
boolean equalsAnyIgnoreCase = StringUtils.equalsAnyIgnoreCase("abc",
"abcde", "ABC");
System.out.println(equalsAnyIgnoreCase);
//      : true
```

StringUtils.firstNonBlank (1, 2, 3, ...)

null,

StringUtils v.3.8

```
String firstNonBlank = StringUtils.firstNonBlank(null, "", " ", "first",
"second");
System.out.println(firstNonBlank);
//      : first
```

StringUtils.getCommonPrefix (1, 2, 3, ...)

```
String getCommonPrefix = StringUtils.getCommonPrefix("a", "ab", "abc");
System.out.println(getCommonPrefix);
//      : a
```

StringUtils.getDigits ()

```
String getDigits = StringUtils.getDigits("123 English 456");
System.out.println(getDigits);
//      : 123456
```

StringUtils.indexOf (,)

0
-1

```
int indexOf1 = StringUtils.indexOf("abc", "b");
System.out.println(indexOf1);
//      : 1

int indexOf2 = StringUtils.indexOf("abc", "z");
System.out.println(indexOf2);
//      : -1
```

StringUtils.indexOfIgnoreCase (,)

StringUtils.indexOf

```
int indexOfIgnoreCase = StringUtils.indexOfIgnoreCase("abs", "A");
System.out.println(indexOfIgnoreCase);
```

```
//      : 0
```

StringUtils.indexOfAny (, 1, 2, ...)

StringUtils.indexOf

```
int indexOfAny = StringUtils.indexOfAny("                    ", "가", " ", " ", " ");
System.out.println(indexOfAny);
//      : 2
```

StringUtils.indexOfAnyBut (,)

0

```
int indexOfAnyBut = StringUtils.indexOfAnyBut("                    ", " ");
System.out.println(indexOfAnyBut);
//      : 1
```

StringUtils.indexOfDifference (1, 2)

0

```
int indexOfDifference = StringUtils.indexOfDifference("                    ", " ")
);
System.out.println(indexOfDifference);
//      : 3
```

Ref

- [StringUtils](#)
- , [eleven](#), [stringutils](#), [commons-lang](#), [commons-lang3](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:java:commons-lang&rev=1586766903>



Last update: **2022/03/10 19:52**

