



```
class CalculatorTest {  
  
    @Test  
    void testSum() {  
        fail("Not yet implemented");  
    }  
}
```

## testSum()

```
package com.ocean.infllearnthejavatest;  
  
import static org.junit.jupiter.api.Assertions.assertEquals;  
  
import org.junit.jupiter.api.Test;  
  
class CalculatorTest {  
  
    @Test  
    void testSum() {  
        Calculator calculator = new Calculator();  
        assertEquals(30, calculator.sum(10, 20));  
    }  
}
```

src/test/java CalculatorTest.java -

> Run As > JUnit Test



assertEquals 50 , JUnit Test ,

```
assertEquals(50, calculator.sum(10, 20));
```




## Ref

[JUnit - Eclipse](#)   [JUnit](#)

,, Eclipse, -, JUnit, 5, ,

From:  
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:  
[http://rwiki.repia.com/doku.php?id=wiki:java:junit:junit5:example:%EC%98%88%EC%A0%9C\\_01&rev=1651117407](http://rwiki.repia.com/doku.php?id=wiki:java:junit:junit5:example:%EC%98%88%EC%A0%9C_01&rev=1651117407) 

Last update: **2022/04/28 12:43**