

- JUnit Platform : , TestEngine API
- Jupiter: TestEngine API JUnit 5
- Vintage: JUnit4 3 TestEngine

- @Test
- @BeforeAll
- @AfterAll
- @BeforeEach
- @AfterEach
- @Disabled

- camel case가 '_'
- @DisplayNameGeneration(DisplayNameGenerator.ReplaceUnderscores.class)
 - o '_'
- @DisplayName(" \uD83D\uDE31") -
 - o , 가

Assertion

	assertEquals(expected, actual)
null	assertNotNull(actual)
(true)	assertTrue(boolean)
	assertAll(executables...)
	assertThrows(expectedType, executable)
	assertTimeout(duration, executable)

AssertJ, Hemcrest, TGruth 가

Assumption()

Skip) (assumingThat executable

@EnabledOnOS, @DisabledOnOS({OS.MAC, OS.LINUE}), @EnabledOnJre({JRE.JAVA_8, ... }),
@EnabledIfEnvironmentVariable(named = "", matches = "")

Test

```
$> ./mvnw test -P ci
```

Ref

- , "
- JUNIT5 가 ()

, junit5

From:
<http://rwiki.requia.com/> -
2023.12



Permanent link:
<http://rwiki.requia.com/doku.php?id=wiki:java:junit:junit5&rev=1651041995>

Last update: **2022/04/27 15:46**