

- JUnit Platform : , TestEngine API
- Jupiter: TestEngine API JUnit 5
- Vintage: JUnit4 3 TestEngine

- @Test
- @BeforeAll
- @AfterAll
- @BeforeEach
- @AfterEach
- @Disabled

- camel case가 '\_' .
- @DisplayNameGeneration(DisplayNameGenerator.ReplaceUnderscores.class)
  - '\_'
- @DisplayName(" \uD83D\uDE31") -
  - , 가

## Assertion

	assertEquals(expected, actual)
null	assertNotNull(actual)
(true)	assertTure(boolean)
	assertAll(executables...)
	assertThrows(expectedType, executable)
	assertTimeout(duration, executable)

AssertJ, Hemcrest, TGruth 가

## Assumption( )

Skip ) (

assumingThat executable

@EnabledOnOS, @DisabledOnOS({OS.MAC, OS.LINUE}), @EnabledOnJre({JRE.JAVA\_8, ... }),  
@EnabledIfEnvironmentVariable(named = "", matches = "")

## Test

```
$> ./mvnw test -P ci
```

## Ref

- " " 가 ( ) , junit5

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: <http://rwiki.repia.com/doku.php?id=wiki:java:junit:junit5&rev=1651042447>



Last update: **2022/04/27 15:54**