Selenium

- description :
- author :
- email : hylee@repia.com
- lastupdate : 2020-11-11

Selenium 　　　?

Selenium　　　　　　　API　　　　　　　　　　　　　　　　　　　　　.
Selenium　　　　　　　　　　　.
Selenium　　　　　　　　　　　　　　　　　　　　　　　　　　　　　,
　　　　　.
　　　　　　　　　　　　　　　　　　　　　　.

- firefox
- Chrome
- safari
- IE
-

Tip

　　　　　　Drive　　　　　　　　　　.

Chrome Driver Download

　　　　　　　　　.

　　　　　　　　　　　　　　driver　　　　　　　　　　.
[Chrome](#)

Selenium java code

```java
package main;

import java.util.concurrent.TimeUnit;

import org.openqa.selenium.By;
import org.openqa.selenium.WebDriver;
import org.openqa.selenium.WebElement;
import org.openqa.selenium.chrome.ChromeDriver;

public class SeleniumTest
{

    public static void main(String[] args)
    {
        // TODO Auto-generated method stub
        chromTest();

    }

    public static void chromTest() throws IllegalStateException
    {
        WebDriver driver = null;
        try
        {
            // drvier         -
            System.setProperty("webdriver.chrome.driver",
"D:\\eclipse_repository\\eGovFrameDev-3.9.0-64bit\\workspace\\parsingApi\\ut
il\\chromedriver.exe");
            // Chrome
            driver = new ChromeDriver();
            //
//        JavascriptExecutor js = (JavascriptExecutor) driver;

            // element
            //                    .
//        js.executeScript("arguments[0].click();", element);

            //               URL
            //        URL                  .
            driver.get(
"https://www.google.com/search?q=%EA%B5%AC%EA%B8%80%EB%B2%88%EC%97%AD&oq=%EA
%B5%AC%EA%B8%80%EB%B2%88%EC%97%AD&aqs=chrome..69i57j35i39j0l4.2179j0j7&sourc
eid=chrome&ie=UTF-8");
            //
            driver.manage().timeouts().implicitlyWait(2, TimeUnit.SECONDS);
            // xpath          selector.
            WebElement element = driver.findElement(By.xpath("//*[@id='tw-
source-text-ta']"));
```

```java
            // test
            String[] s_array = new String[2];
            s_array[0] = "This book aims to strengthen an understanding of
the sculptural possibilities of form and space through developing a visual
language and structure that recognizes and ";
            s_array[1] = "gives priority to 3dimensional visual perception
It is written so as to apply to both the active process of shaping 3D form
and space and analyzing any existing visual situation Introduction";

            //

            for (String aa : s_array)
            {

                element.sendKeys(aa);

                //
                Thread.sleep(1000);

                // css          selector.
                WebElement elementd =
driver.findElement(By.cssSelector("#tw-target-text > span"));

                System.out.println("elementd : " + elementd.getText());

                // element
                element.clear();
            }

        } catch (Throwable e)
        {
            e.printStackTrace();
        } finally
        {
            driver.close();

            // test
            System.exit(0);
        }

//

    }

}
```

consol

elementd :

. elementd : 3   3

.

Troubleshooting

Ref

, [java](#), [selenium](#)

From:
[http://rwiki.repia.com/](#) -   . - 2023.12

Permanent link:
[http://rwiki.repia.com/doku.php?id=wiki:java:selenium&rev=1605099658](#)

Last update: **2022/03/10 19:52**