

Java

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-09

Java

() Oracle / Code Conventions for Java™ Programming Language / 1999-4-20
 ()

1. extends
2. 가 super();
3. (@Override) (, ,) 가
 (public, protected, default, private)
 @Override super. ()
4. final final class: String final final method():
5. (Polymorphism)
6. instanceof

```

        : if(A instanceof B )
7. (abstract)
        (new) 가 ,
        가 .
        1. ( )
        2.
        [public | protected] abstract ( , ...);
        @Override .

```

public	, ,	
protected	, ,	가
default	, ,	
private	, ,	

()

- [Batch\(\)_DB](#)
- [JDBC](#)
- [Math](#)
-
- [Jenkins\(\)](#)

- [get, post 가](#)
- [ibatis to mybatis](#)
- [jackson](#)
- [jsoup](#)
- [selenium](#)
- [List](#)
- [Regular Expression](#)
-
-
-
-

[/ How to check whether an array contains a particular value](#)

in java

(Javascript)

```

base URL .

```

```

function absolute(base, relative) {
    var stack = base.split("/"),

```

```

    parts = relative.split("/");
    stack.pop(); // remove current file name (or empty string)
                // (omit if "base" is the current folder without trailing
slash)
    for (var i=0; i<parts.length; i++) {
        if (parts[i] == ".")
            continue;
        if (parts[i] == "..")
            stack.pop();
        else
            stack.push(parts[i]);
    }
    return stack.join("/");
}

```

- [XSS injection prevention](#)

Apache-commons

- commons-lang
 - [StringUtils](#)
- commons-io
 - [FileUtils](#)
- commons-codec
 - [Base64](#)

Boolean vs boolean

boolean			true, false		null
null			Boolean		.
	int	null	Integer	null	.

Cast

[Convert double to float in Java](#)

```

double d = getInfoValueNumeric();
float f = (float)d;

```

// Also notice that the primitive types can NOT store an infinite set of numbers:

- values()
 -
- ordinal()
 -
- valueOf()
 - String String 가 IllegalArgumentException
 - String 가 IllegalArgumentException

Java Enum
enum

Format

-
- [JAVA/ Float](#)

Library

- 

Log

[logging framework logback](#)

Map

- [How to Convert List to Map in Java](#)

Optional

```
Optional "
가 WRAP . Collection Stream
null null 가
```

Optional.ofNullable(value)

```

null
Optional.empty() Optional.ofNullable(value)
null , NPE Optional.empty() Optional
가 null

```

8 Optional 2 : null

Reflection

- [Call Methods at Runtime Using Java Reflection](#)

Servlet, Request, Context

- [Servlet, Request, Context](#)

String

- [replaceAll, replace](#)

Thread

-

- try{} catch(){} finally{}

- [e.toString\(\), e.getMessage\(\), e.printStackTrace\(\)](#)
- [Spring Guide - Exception](#)

Ref

- [concurrency](#)
- [fcntl](#)
- [, java, doc2vec](#)

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:java&rev=1609725354>



Last update: **2022/03/10 19:52**