

Java

- description :
- author :
- email : dhan@repia.com
- lastupdate : 2020-03-09

Openjdk ()

Java

() Oracle / Code Conventions for Java™ Programming Language / 1999-4-20
()

```

1.      extends
2.      가 super();
      ,
      가 ,
3.      (@Override)
      ( , , ) 가
      ,
      (public, protected, default, private)
      @Override
      super. ()
4. final
   final class: String final

```

```
.
final method():
5.      (Polymorphism)

.

6. instanceof
      : if(A instanceof B )

7.      (abstract)

      (new) 가 ,
      가
      1.      ( )
      2.
[public | protected] abstract      ( , ...);
      , @Override .
```

public	, ,	
protected	, ,	가
default	, ,	
private	, ,	

- ()
- [Batch\(\)_DB](#)

• [JDBC](#)

• [Math](#)

•

• [Jenkins\(\)](#)

• [get, post 가](#)

• [ibatis to mybatis](#)

• [jackson](#)

• [jsoup](#)

• [selenium](#)

• [List](#)

• [Regular Expression](#)

•

•

•

• [/ How to check whether an array contains a particular value in java](#)
- http://rwiki.repia.com/

Printed on 2026/09/03 14:14

(Javascript)

base URL .

```
function absolute(base, relative) {
  var stack = base.split("/"),
      parts = relative.split("/");
  stack.pop(); // remove current file name (or empty string)
                // (omit if "base" is the current folder without trailing
slash)
  for (var i=0; i<parts.length; i++) {
    if (parts[i] == ".")
      continue;
    if (parts[i] == "..")
      stack.pop();
    else
      stack.push(parts[i]);
  }
  return stack.join("/");
}
```

- [XSS injection prevention](#)

Apache-commons

- commons-lang
 - [StringUtils](#)
- commons-io
 - [FileUtils](#)
- commons-codec
 - [Base64](#)

Boolean vs boolean

boolean	true, false		null
null	Boolean		.
	int	Integer	.
	null	null	.

Cast

[Convert double to float in Java](#)

```
double d = getInfoValueNumeric();
float f = (float)d;
```

// Also notice that the primitive types can NOT store an infinite set of numbers:

// float range: from 1.40129846432481707e-45 to 3.40282346638528860e+38
// double range: from 1.7e-308 to 1.7e+308

Date

-
-
- [Date java](#) , , ,

enum

Naming (Week.java, Role.java, ...) // Camel case
 (MONDAY, ROOT, ...) // Snake case

Calendar.class ~
 , , ...

TableStatus.java

```
// public enum <-
//
public enum TableStatus
{
    Y("1", true)
    , N("0", false);

    private String table1Value;
    private boolean table2Value;

    TableStatus(String table1Value, boolean table2Value)
    {
        this.table1Value = table1Value;
        this.table2Value = table2Value;
    }

    public String getTable1Value()
    {
        return table1Value;
    }
}
```

```
public boolean isTable2Value() { return table2Value; }  
}
```

- values()
 -
- ordinal()
 -
- valueOf()
 -
 - String String 가 IllegalArgumentException

[Java Enum
enum](#)

Format

-
- [JAVA/ Float](#)

Library

- 

Log

[logging framework logback](#)

Map

- [How to Convert List to Map in Java](#)

Optional

Optional	“	”, , “null	”
가	WRAP	Collection	Stream
		null	가

Optional.ofNullable(value)

null	Optional	
Optional.empty()	Optional.ofNullable(value)	
null	, NPE	Optional.empty()
가 null		Optional

[8 Optional 2](#) : null

Reflection

- [Call Methods at Runtime Using Java Reflection](#)

Servlet, Request, Context

- [Servlet, Request, Context](#)

String

- [replaceAll, replace](#)

Thread

-

- try{} catch(){} finally{}

- [e.toString\(\), e.getMessage\(\), e.printStackTrace\(\)](#)
- [Spring Guide - Exception](#)

Ref

- [concurrency](#)
 - [fcntl](#)
- , [java](#), [doc2vec](#)

From:

<http://rwiki.repia.com/> -
2023.12

Permanent link:

<http://rwiki.repia.com/doku.php?id=wiki:java&rev=1611028441>

Last update: **2022/03/10 19:52**

