

# DataTables

- description : DataTables
- author :
- email : shlim@repia.com
- lastupdate : 2023-01-03 Mon

## DataTables

**function column().search(input[, regex[, smart[, caseInsen]]])**

```
function column.search( input [, regex[, smart[, caseInsen]]] )
function column.search( input )
function column.search( input, regex )
function column.search( input, regex, smart )
function column.search( input, regex, smart, caseInsen )
```

### Description :

Set the search term for the column from the selector. Note this doesn't actually perform the search, but rather queues it up - use draw() to perform the search and display the result.

```
selector . , draw() . ,
```

```
function column.search( input )
```

**input**      ▾ string      input ,  
( Search string to apply to the table. )

```
function column.search( input, regex )
```

**regex**  boolean `regex`, default `false`  
 (regex, regular expression) (true) (default, false)  
 ( Treat as a regular expression (true) or not (default, false). )

```
function column.search( input, regex, smart )
```

**smart**  boolean `smart`, default `true`  
 (default, true) (false)  
 ( Perform smart search (default, true) or not (false). )

```
function column.search( input, regex, smart, caseInsen )
```

**caseInsen**  boolean `caseInsen`, default `true`  
 (case-insensitive) ( , true), (false)

rmrScript.js

```
1 else if(column.index() == 2) {
2     var select = $('<select style="margin-left: 0.5em; display: inline-block; width: auto; border: 1px solid #aaa; border-radius: 3px; padding: 5px; background-color: transparent; outline-offset: -2px;"><option value="">
    </option></select>')
3     .appendTo(selectbox)
4     .on( 'change', function() {
5         var text = $(this).find('option:selected').text();
6         var val = $.fn.dataTable.util.escapeRegex($(this).val());
7         if(text != ' ' && jQuery.isEmptyObject(val)) val = '
';
8         column.search( val ? '^' + val + '$' : '', true, false )
9         .draw();
```

8

```
8 column.search( val ? '^' + val + '$' : '', true, false )
```

`val ? '^' + val + '$' : ''` input , regex

, (val) ⇒ regex ( '^' + val + '\$' ), \*\*

true true

false

==== Ref Link ==== [\*\*https://datatables.net/reference/api/column\(\).search\(\)\*\*](https://datatables.net/reference/api/column().search())  
**Search API (regular expressions)**  
**\$fn.dataTable.util.escapeRegex()**

, DataTables, column().search()

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

[\*\*http://rwiki.repia.com/doku.php?id=wiki:javascript:datatables:datatables&rev=1672652800\*\*](http://rwiki.repia.com/doku.php?id=wiki:javascript:datatables:datatables&rev=1672652800)



Last update: **2023/01/02 18:46**