

# Javascript HTML DOM contentEditable Property

- description : Javascript HTML DOM contentEditable Property
- author :
- email : shlim@repia.com
- lastupdate : 2021-06-08

## The source of the article

[Javascript HTML DOM contentEditable Property](#)

### Example

<p> 가 .

```

<body>
  <p id="myP">This is a paragraph. Click the button to make me
  editable.</p>

  <button onclick="myFunction()">Try it</button>

  <p id="demo"></p>
  <!-- The p element above is now editable. Try to change its
  text. -->
  <!-- <p id="myP"> -->

  <script>
    function myFunction() {
      document.getElementById('myP').contentEditable = true;
      document.getElementById('demo').innerHTML = 'The p element above is
  now editable. Try to change its text.';
    }
  </script>
</body>

```

## Definition and Usage

contentEditable 가 .

**Tip:** isContentEditable

가

## Syntax

contentEditable

```
HTMLObject.contentEditable
```

contentEditable

```
HTMLObject.contentEditable = true|false
```

## Property Value

Value	Description
true or false	가
	가 :
	"inherit" - 가 가
	"true" - 가
"false" -	

## Technical Details

Return Value	, 가 가 true , false
--------------	--------------------

## More Examples

### Example

<p> 가

```
<body>
  <p id="myP" contenteditable="true">Click the button to find out if I am
  editable.</p>

  <button onclick="myFunction()">Try it</button>

  <p id="demo"></p>
  <!-- true = The p element is editable. To see the effect, try
  to change its text.가 , <p id="myP"> -->
  <script>
```

```

function myFunction() {
    var x = document.getElementById('myP').contentEditable;
    document.getElementById('demo').innerHTML = x + ' = The p element is
    editable. To see the effect, try to change its text.';
}
</script>
</body>

```

## Example

<p>

```

<body>
  <p id="myP" contenteditable="true">Try to change this text.</p>

  <button onclick="myFunction(this)">Disable content of p to be
  editable!</button>

  <p id="demo"></p>

  <script>
    function myFunction(button) {
      var x = document.getElementById('myP');
      if (x.contentEditable == 'true') {
        x.contentEditable = 'false';
        button.innerHTML = 'Enable content of p to be editable!';
      } else {
        x.contentEditable = 'true';
        button.innerHTML = 'Disable content of p to be editable!';
      }
    }
  /*
  1.          Disable content of p to be editable!
  2.   가      , id="myP"
  3.          , Enable content of p to be editable!
  */
  </script>
</body>

```

., Javascript, HTML, DOM, contentEditable, Property

From:  
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:  
[http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript\\_note:contenteditable\\_property&rev=1623117144](http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript_note:contenteditable_property&rev=1623117144) 

Last update: **2022/03/10 19:52**