

JavaScript getDay() Method

- description : JavaScript getDay() Method
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-14

```
function myFunction() {  
    var d = new Date();  
    var n = d.getDay();  
    document.getElementById("demo").innerHTML = n;  
}
```

Definition and Usage

getDay() returns the day of the week for the specified date. The value returned is a number, ranging from 0 to 6.

Note:

0 represents Sunday, 1 represents Monday, 2 represents Tuesday, 3 represents Wednesday, 4 represents Thursday, 5 represents Friday, and 6 represents Saturday.

Syntax

```
Date.getDay()
```

Return value

The return value is a number, ranging from 0 to 6.

가 , :

```
function myFunction() {  
    var d = new Date();
```

```
var weekday = new Array(7);
weekday[0] = "Sunday";
weekday[1] = "Monday";
weekday[2] = "Tuesday";
weekday[3] = "Wednesday";
weekday[4] = "Thursday";
weekday[5] = "Friday";
weekday[6] = "Saturday";

var n = weekday[d.getDay()];
document.getElementById("demo").innerHTML = n;
}
```

, [Javascript](#), [getDay\(\)](#), [Method](#)

From:
<http://wiki.repia.com/> -

. - 2023.12

Permanent link:
http://wiki.repia.com/doku.php?id=wiki:javascript:javascript_note:getday&rev=1619427279



Last update: **2022/03/10 19:52**