

# JS Reference HTML DOM Aside Object

- description : HTML DOM Aside Object
- author :
- email : shlim@repia.com
- lastupdate : 2021-06-03

## the Source of the article

[HTML DOM Aside Object](#)

## Aside Object

Aside      HTML <aside>

**Note:** <aside>      Internet Explorer 8

## Access an Aside Object

getElementById()      <aside>      :

## Example

```
<body>

  <h3>A demonstration of how to access an ASIDE element</h3>

  <p>"My family and I visited The Epcot center this summer."</p>

  <aside id="myAside">
    <h4>Epcot Center</h4>
    <p>The Epcot Center is a theme park in DisneyWorld, Florida.</p>
  </aside>

  <p>click the button to set the textcolor of the aside content to red.</p>

  <button onclick="myFunction()">Try it</button>
```

```
<script>
function myFunction() {
  var x = document.getElementById("myAside");
  x.style.color = "crimson";
}
</script>

</body>
```

## Create an Aside Object

document.createElement()                      <aside>                      .

### Example

```
<body>

  <p>Click the button to create an ASIDE element containing a H4 and P
  element.</p>

  <button onclick="myFunction()">Try it!</button>
  <!--

  Epcot Center

  The Epcot Center is a theme park in Disney World.
  -->

  <script>
    function myFunction() {
      var x = document.createElement("ASIDE"); // aside                      ,                      x
      x.setAttribute("id", "myAside"); // aside                      myAside                      가
      id                      가
      document.body.appendChild(x); // body                      aside                      가

      var heading = document.createElement("H4"); // h4                      ,
      heading
      var txt1 = document.createTextNode("Epcot Center"); // h4
      Epcot Center                      txt1
      heading.appendChild(txt1); // h4                      Epcot Center                      가
      document.getElementById("myAside").appendChild(heading); //
      id=myAside                      가                      <aside>                      Epcot Center                      가                      가                      .

      var para = document.createElement("P"); //p
      var txt2 = document.createTextNode("The Epcot Center is a theme park
      in Disney World."); //                      txt2
```

```
para.appendChild(txt2); // p      txt2      가
document.getElementById("myAside").appendChild(para);
// id=myAside 가 <aside>      txt2      가      가      .
}
</script>

</body>
```

, [HTML](#), [DOM](#), [Aside](#), [Object](#)

From: <http://rwiki.repia.com/> - . - 2023.12

Permanent link: [http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript\\_note:html\\_objects\\_-\\_aside&rev=1622683639](http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript_note:html_objects_-_aside&rev=1622683639) 

Last update: **2022/03/10 19:52**