

Javascript HTML DOM innerHTML Property

- description : Javascript HTML DOM innerHTML Property
- author :
- email : shlim@repia.com
- lastupdate : 2021-06-04

The source of the article

[Javascript HTML DOM innerHTML Property](#)

Example

id="demo" 가 <p> HTML .

```
<body>

  <p id="demo" onclick="myFunction()">Click me to change my HTML content
  (innerHTML).</p>
  <!--          Paragrahp changed!          -->
  <script>
    function myFunction() {
      document.getElementById("demo").innerHTML = "Paragrahp changed!";
    }
  </script>

</body>
```

Definition and Usage

innerHTML HTML (HTML) .

Syntax

innerHTML .

```
HTMLElementObject.innerHTML
```

innerHTML

```
HTMLElementObject.innerHTML = text
```

Property Values

Value	Description
text	HTML

Technical Details

Return Value: , HTML .

More Examples

Example

id="myP" 가 <p> HTML 가 .

```
<body>

  <p id="myP">I am a paragraph.</p>

  <p>Click the button to get the HTML content of the p element.</p>

  <button onclick="myFunction()">Try it</button>

  <p id="demo"></p> <!--           I am a paragraph.가           -->

  <script>
    function myFunction() {
      var x = document.getElementById("myP").innerHTML; /* I am a paragraph. */
      document.getElementById("demo").innerHTML = x;
    }
  </script>

</body>
```

Example

id="myList" 가 HTML 가 .

```
<body>

  <ul id="myList">
    <li>Coffee</li>
    <li>Tea</li>
  </ul>

  <p>Click the button to get the HTML content of the ul element.</p>

  <button onclick="myFunction()">Try it</button>

  <p id="demo"></p>

  <script>
    function myFunction() {
      var x = document.getElementById("myList").innerHTML;
      /*      x   myList ul          */
      document.getElementById("demo").innerHTML = x;
      /* #demo  myList ul          */
    }
  </script>

</body>
```

Example

HTML .

```
<body>

  <h1>My Web Page</h1>

  <p id="myP">This is a p element</p><!-- Hello Dolly      -->

  <div id="myDIV">This is a div element</div><!-- How are you?      -->

  <script>
    document.getElementById("myP").innerHTML = "Hello Dolly";
    document.getElementById("myDIV").innerHTML = "How are you?";
  </script>

</body>
```

Example

id="demo" 가 <p> HTML .

```
<body>

  <p id="demo">Click the button to alert the text of this paragrahp.</p>

  <button onclick="myFunction()">Try it</button>

  <script>
    function myFunction() {
      alert(document.getElementById("demo").innerHTML);
    }/*          #demo          */
  </script>

</body>
```

Example

id="demo" 가 <p> HTML .

```
<body>

  <p id="demo">Click the button to delete my HTML content (innerHTML).</p>

  <button onclick="myFunction()">Try it</button>

  <script>
    function myFunction() {
      document.getElementById("demo").innerHTML = "";
    }/*          #demo          */
  </script>

</body>
```

Example

HTML , URL, .

```
<body>

  <a href="http://www.microsoft.com" id="myAnchor">Microsoft</a>
  <button onclick="myFunction()">Change link</button>

  <script>
    function myFunction() {
      document.getElementById("myAnchor").innerHTML = "W3Schools";
      /* Microsoft가 W3Schools */
      document.getElementById("myAnchor").href =
```

```
"https://www.w3schools.com";
    document.getElementById("myAnchor").target = "_blank";
    /* link가 https://www.w3schools.com , */

}
</script>

</body>
```

., Javascript, HTML, DOM, innerHTML, Property

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript_note:innerHTML&rev=1622773502

Last update: **2022/03/10 19:52**

