

# JavaScript / jQuery CSS Styles

- description : JavaScript / jQuery CSS Styles
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-14

## Ref

[JavaScript / jQuery CSS Styles](#)

## Hiding HTML Elements

HTML

## jQuery

```
<!DOCTYPE html>
<html lang="en">
<head>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scr
ipt>
</head>
<body>

  <h1 id="01">Hiding Text Content with JQuery</h1>

  <h2 id="02">Hello World!</h2>
  <h2 id="03">Hello Swiss!!</h2>
  <h2 id="04">Hello Denmark!!!</h2>

  <p id="demo"></p>

  <script>
    $(document).ready(function () {
      var myElement = $('#02');
      myElement.hide();
    });
  </script>
```

```
</body>  
</html>
```

## JavaScript

```
<!DOCTYPE html>  
<html lang="en">  
<body>  
  
  <h1 id="01">Hiding Text Content</h1>  
  
  <h2 id="02">Hello World!</h2>  
  <h2 id="03">Hello Swiss!!</h2>  
  <h2 id="04">Hello Denmark!!!</h2>  
  
  <p id="demo"></p>  
  
  <script>  
    document.getElementById("02").style.display = "none";  
  </script>  
  
</body>  
</html>
```

## Showing HTML Elements

HTML

## jQuery

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <script  
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scr  
ipt>  
</head>  
<body>  
  
  <h1>Showing HTML Elements with JQuery</h1>  
  
  <h2 id="01" style="display:none">Bonjour</h2>  
  <h2 id="02" style="display:none">Bonsoir</h2>  
  <h2 id="03" style="display:none">Je t'aime</h2>
```

```
<script>
  $(document).ready(function () {
    var myElement = $('#03');
    myElement.show();
  });
</script>

</body>
</html>
```

## JavaScript

```
<!DOCTYPE html>
<html lang="en">
<body>

  <h1>Showing HTML Elements with JavaScript</h1>

  <h2 id="01" style="display:none">Bonjour</h2>
  <h2 id="02" style="display:none">Bonsoir</h2>
  <h2 id="03" style="display:none">Je t'aime</h2>

  <script>
    var myElement = document.getElementById("03");
    myElement.style.display = "";
  </script>

</body>
</html>
```

## Styling HTML Elements

HTML

## jQuery

```
<!DOCTYPE html>
<html lang="en">
<head>
  <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.4.1/jquery.min.js"></scr
ipt>
</head>
<body>

  <h2>Styling HTML Elements with JQuery</h2>
```

```
<p id="demo">JavaScript can change the style of an HTML element.</p>

<script>
  $(document).ready(function () {
    var myElement = $("#demo");
    myElement.css("font-size", "35px");
  });
</script>

</body>
</html>
```

## JavaScript

```
<!DOCTYPE html>
<html lang="en">
<body>

  <h2>Styling HTML Elements with JavaScript</h2>

  <p id="demo">JavaScript can change the style of an HTML element.</p>

  <script>
    var myElement = document.getElementById("demo");
    myElement.style.fontSize = "35px";
  </script>

</body>
</html>
```

, [JavaScript](#), [jQuery](#), [CSS](#), [Styles](#)

From:  
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:  
[http://rwiki.repia.com/doku.php?id=wiki:javascript;javascript\\_note;jquery\\_css&rev=1618366467](http://rwiki.repia.com/doku.php?id=wiki:javascript;javascript_note;jquery_css&rev=1618366467)



Last update: **2022/03/10 19:52**