

Javascript Objects

- description : Javascript Object Constructors
- author :
- email : shlim@repia.com
- lastupdate : 2021-05-03

The source of this article

[Javascript Object Constructors](#)

```
// Constructor function for Person Objects
function Person(first, last, age, eye) {
  this.firstName = first;
  this.lastName = last;
  this.age = age;
  this.eyeColor = eye;
}

// Create a Person object
let myFather = new Person("Anthony", "Young", 50, "green");

// Display age
document.getElementById("demo").innerHTML =
  "My father is " + myFather.age + "."; // My father is 50.
```

(constructor function)

Object Types (Blueprints) (Classes)

(JS Object Constructors)

“type”

“ ”

“ ”

(object constructor function)

function Person()


```

    this.lastName = last;
    this.age = age;
    this.eyeColor = eye;
}

// Create 2 Person objects
let myFather = new Person("John", "Doe", 50, "blue");
let myMother = new Person("Sally", "Rally", 48, "green");

// Add nationality to first object
myFather.nationality = "English";

// Display nationality
document.getElementById("demo").innerHTML =
    "My father is " + myFather.nationality; // My father is English

```

myMother가 (person 가) myFather 가 .

Adding a Method to an Object

가 :

Example

```

// Constructor function for Person Objects
function Person(first, last, age, eye) {
    this.firstName = first;
    this.lastName = last;
    this.age = age;
    this.eyeColor = eye;
}

// Create 2 Person objects
let myFather = new Person("John", "Doe", 50, "blue");
let myMother = new Person("Sally", "Field", 48, "green");

// Add a name method to first object
myFather.name = function () {
    return this.firstName + " " + this.lastName;
};

// Display full Name
document.getElementById("demo").innerHTML =
    "My father is " + myFather.name(); // My father is John Doe

```

Adding a Property to a Constructor

가

가

Example

```
// Constructor function for Person objects
function Person(first, last, age, eye) {
  this.firstName = first;
  this.lastName = last;
  this.age = age;
  this.eyeColor = eye;
}

// You can NOT add a new property to a constructor function
Person.nationality = "English";

// Create 2 Person objects
let myFather = new Person("John", "Doe", 50, "blue");
let myMother = new Person("Sally", "Rally", 48, "green");

// Display nationality
document.getElementById("demo").innerHTML =
  "The nationality of my Father is " + myFather.nationality;
  // The nationality of my Father is undefined
```

가

,

가

Example

```
// Constructor function for Person objects
function Person(first, last, age, eye) {
  this.firstName = first;
  this.lastName = last;
  this.age = age;
  this.eyeColor = eye;
  this.nationality = "English";
}

// Create 2 Person objects
let myFather = new Person("John", "Doe", 50, "blue");
let myMother = new Person("Sally", "Rally", 48, "green");

// Display nationality
```

```
document.getElementById("demo").innerHTML =
  "My father is " + myFather.nationality + ". My mother is " +
  myMother.nationality;
  // My father is English. My mother is English
```

(default values) 가 .

Adding a Method to a Constructor

Example

```
function Person(name, age) {
  this.name = name;
  this.age = age;
}
Person.prototype.changeName = function(newName) {
  this.name = newName;
}
var person = new Person("John", 30);
person.changeName("Jane");
console.log(person.name); // Jane
```

가 가

가 .

Example

```
function Person(name, age) {
  this.name = name;
  this.age = age;
}
Person.prototype.changeName = function(newName) {
  this.name = newName;
}
var person = new Person("John", 30);
person.changeName("Jane");
console.log(person.name); // Jane
```

changeName() person lastName .

Now You Can Try:

```
function Person(name, age) {
  this.name = name;
  this.age = age;
}
Person.prototype.changeName = function(newName) {
  this.name = newName;
}
var person = new Person("John", 30);
person.changeName("Jane");
console.log(person.name); // Jane
```

JavaScript **this** myMother “ ” person .

Built-in JavaScript Constructors

JavaScript (built-in constructor)가 .

Example

Did You Know?

String, Number	, JavaScript Boolean	(primitive data types)
	가	(primitive values)
:		
new Object()	{}	
new String()	""	
new Number()	12345	
new Boolean()	true / false	
new Array()	[]	
new RegExp()	/()/	
new Function()	() {}	

Example

, [Javascript](#), [Objects](#), [Constructors](#)

From: <http://rwiki.repia.com/> - 2023.12

Permanent link: http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript_note:js_object_constructors&rev=1620017834

Last update: 2022/03/10 19:52