

JavaScript Variables

- description : JavaScript Variables
- author :
- email : shlim@repia.com
- lastupdate : 2021-04-01

JavaScript Variables

JavaScript

, x, y z var

```
var x = 5;
var y = 6;
var z = x + y;
```

- x 5
- y 6
- z 11

Using let and const (ES6)

2015 var JavaScript

2015 JavaScript (ES6) const let

var 가

Safari 10 Edge 14 ES6

Much Like Algebra

, price1, price2, total .

```
var price1 = 5;  
var price2 = 6;  
var total = price1 + price2;
```

가 , price1 .
가 , expressions (total = price1 + price2).
11 .

JavaScript .

JavaScript Identifier

JavaScript variables unique names identified .
identifiers .
(: x y) (age, sum, totalVolume) .
() .
• , , 가 .
• \$ - , .
• (y Y) .
• (: JavaScript) .

JavaScript .

The Assignment Operator

JavaScript (🤪) “ ” 가 “ assignment .
가 .

```
x = x + 5
```

JavaScript 가 . x + 5 x .

(x + 5 x . x 5 가 .)

“ ” JavaScript == .

JavaScript Data Types

JavaScript 100 “John Doe” .

_____ text strings

JavaScript , .

_____ .

_____ .

```
var pi = 3.14;
var person = "John Doe";
var answer = 'Yes I am!';
```

Declaring (Creating) JavaScript Variables

JavaScript “ ” .

var JavaScript .

```
var carName;
```

(, undefined 가)

assign



```
carName = "Volvo";
```

```
var carName = "Volvo";
```

```
    , carName      ,      "Volvo"
    id = "demo"   HTML      "      " .
```

```
<p id="demo"></p>
<script>
var carName = "Volvo"
document.getElementById("demo").innerHTML = carName;
</script>
```

One Statement, Many Variables

```
var      ,      comma
```

```
var person = "John Doe", carName = "Volvo", price = 200;
```

```
var person = "John Doe",
carName = "Volvo",
price = 200;
```

Value = undefined

```
    ,      ,      .
    undefined
carName      undefined .
```

```
var carName;
```

Re-Declaring JavaScript Variables

JavaScript

carName

"Volvo"

```
var varName = "Volvo";
var carName;
```

JavaScript Arithmetic

가 , = +

JavaScript

arithmetic

```
var x = 5 + 2 + 3;
```

가

```
var x = "John" + " " + "Doe";
```

```
var x = "5" + 2 + 3;
```

```
var x = 2 + 3 + "5";
```

JavaScript Dollar Sign \$

JavaScript

()

- (A-Z a-z)

- (\$) main function
- () alias

JavaScript

, \$

```
var $$$ = "Hello World";  
var $ = 2;  
var $myMoney = 5;
```

JavaScript

JavaScript

main function

alias

jQuery

JavaScript

\$("p");

“

p

”

jQuery

,

\$

HTML

JavaScript Underscore (_)

%5JavaScript

```
<code javascript> var _lastName = "Johnson"; var _x = 2; var _100 = 5; </code> \\\
```

JavaScript%%

“ () ”

test

, [Javascript](#), [Variables](#)

From:

<https://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link:

https://125.132.25.164/dokuwiki/doku.php?id=wiki:javascript:javascript_note:js_variables

Last update: **2023/01/13 18:44**

