

Javascript HTML DOM textContent Property

- description : Javascript HTML DOM textContent Property
- author :
- email : shlim@repia.com
- lastupdate : 2021-06-07

The source of the article

[Javascript HTML DOM textContent Property](#)

Example

(inner text) 가 .

```
<body>
  <p>Click the button to get the text content of the button element.</p>

  <button onclick="myFunction()" id="myBtn">Try it</button>

  <p><strong>Note:</strong> The textContent property is not supported in
Internet Explorer 8 and earlier.</p>

  <p id="demo"></p>

  <script>
    function myFunction() {
      var x = document.getElementById('myBtn').textContent;
      /* id="myBtn"      Try it      x      */
      document.getElementById('demo').innerHTML = x;
      /*      id="myBtn"      Try it 가      x      id="demo"      */
    }
  </script>
</body>
```

Definition and Usage

textContent

textContent , 가

Note: innerText

가

- textContent , innerText <script> <style>
- innerText CSS (textContent).

Tip: nodeValue

, (textContent)

Tip: HTML

innerHTML

Syntax

```
node.textContent
```

```
node.textContent = text
```

Property Values

Value	Type	Description
text	String	

More Examples

Example

id="demo" 가 <p>

```
<body>
  <p id="demo" onclick="myFunction()">Click me to change my textual
  content.</p>

  <script>
    function myFunction() {
      document.getElementById('demo').textContent = 'Paragrahp changed!';
    } /* id="demo" Paragrahp changed! */
  </script>
```

Example

id="myList" 가 가 .

```

<body>
  <ul id="myList">
    <li>Coffee</li>
    <li>Tea</li>
  </ul>
  <p>Click the button to get the text content of the ul element.</p>

  <button onclick="myFunction()">Try it</button>

  <p><strong>Note:</strong> Textual content includes the text of all child
nodes as well.</p>

  <p><strong>Note:</strong> The textContent property is not supported in
Internet Explorer 8 and earlier.</p>

  <p id="demo"></p>
  <!-- Coffee Tea가 -->

  <script>
    function myFunction() {
      var x = document.getElementById('myList').textContent;
      document.getElementById('demo').innerHTML = x;
    }
  </script>
</body>

```

Example

innerText, innerHTML, textContent .

```

<body>
  <h3>Differnece between innerText, innerHTML, and textContent</h3>

  <p id="demo"> This element has extra spacing, and contains <span>a
span element</span>.</p>

  <button onclick="getInnerText()">Get innerText</button>
  <button onclick="getHTML()">Get innerHTML</button>
  <button onclick="getTextContent()">Get textContent</button>

  <p><strong>Note:</strong> The textContent property is not supported in
Internet Explorer 8 and earlier,
and the innerText property is not supported in IE9 and earlier.</p>

```

```
<p id="demo"></p>

<script>
  function getInnerText() {
    alert(document.getElementById('demo').innerText);
  } /* This element has extra spacing, and contains a span element. */

  function getHTML() {
    alert(document.getElementById('demo').innerHTML);
  } /* This element has extra spacing, and contains <span>a span
element</span>. */

  function getTextContent() {
    alert(document.getElementById('demo').textContent);
  } /* This element has extra spacing, and contains a span element.
*/
</script>

</body>
```

<p> 가 .

- innerText** : "This element has extra spacing, and contains a span element."
- innerHTML** : " This element has extra spacing, and contains a span element."
- textContent** : " This element has extra spacing, and contains a span element."

innerText
innerHTML
textContent

., [Javascript](#), [HTML](#), [DOM](#), [textContent](#), [Property](#)

From:
<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:
http://rwiki.repia.com/doku.php?id=wiki:javascript:javascript_note:textcontent&rev=1623032297



Last update: **2022/03/10 19:52**