

Javascript HTML DOM textContent Property

- description : Javascript HTML DOM textContent Property
- author :
- email : shlim@repia.com
- lastupdate : 2021-06-07

The source of the article

[Javascript HTML DOM textContent Property](#)

Example

(inner text) 가 .

```
<body>
  <p>Click the button to get the text content of the button element.</p>

  <button onclick="myFunction()" id="myBtn">Try it</button>

  <p><strong>Note:</strong> The textContent property is not supported in
Internet Explorer 8 and earlier.</p>

  <p id="demo"></p>

<script>
  function myFunction() {
    var x = document.getElementById('myBtn').textContent;
    /* id="myBtn"      Try it      x      */
    document.getElementById('demo').innerHTML = x;
    /*           id="myBtn"      Try it  가      x  id="demo"      */
  }
</script>
</body>
```

Definition and Usage

textContent

textContent , 가

Note: innerText

가

- textContent , innerText <script> <style>
- innerText CSS (textContent).

Tip: nodeValue , (textContent)

Tip: HTML innerHTML

Syntax

```
node.textContent
```

```
node.textContent = text
```

Property Values

Value	Type	Description
text	String	.

More Examples

Example

id="demo" 가 <p>

```
<body>
    <p id="demo" onclick="myFunction()">Click me to change my textual
content.</p>

<script>
    function myFunction() {
        document.getElementById('demo').textContent = 'Paragraph changed!';
    } /* id="demo" Paragraph changed! */
</script>
```

Example

id="myList" 가 가 .

```

<body>
  <ul id="myList">
    <li>Coffee</li>
    <li>Tea</li>
  </ul>
  <p>Click the button to get the text content of the ul element.</p>

  <button onclick="myFunction()">Try it</button>

  <p><strong>Note:</strong> Textual content includes the text of all child
  nodes as well.</p>

  <p><strong>Note:</strong> The textContent property is not supported in
  Internet Explorer 8 and earlier.</p>

  <p id="demo"></p>
  <!-- Coffee Tea가 -->

  <script>
    function myFunction() {
      var x = document.getElementById('myList').textContent;
      document.getElementById('demo').innerHTML = x;
    }
  </script>
</body>
```

Example

innerText, innerHTML, textContent .

```

<body>

  <h3>Difference between innerText, innerHTML, and textContent</h3>

  <p id="demo"> This element has extra spacing, and contains <span>a
  span element</span>.</p>

  <button onclick="getInnerText()">Get innerText</button>
  <button onclick="getHTML()">Get innerHTML</button>
  <button onclick="getTextContent()">Get textContent</button>

  <p><strong>Note:</strong> The textContent property is not supported in
  Internet Explorer 8 and earlier,
  and the innerText property is not supported in IE9 and earlier.</p>
```

```
<p id="demo"></p>

<script>
    function getInnerText() {
        alert(document.getElementById('demo').innerText);
    } /* This element has extra spacing, and contains a span element. */

    function getHTML() {
        alert(document.getElementById('demo').innerHTML);
    } /* This element has extra spacing, and contains <span>a span element</span>. */

    function getTextContent() {
        alert(document.getElementById('demo').textContent);
    } /* This element has extra spacing, and contains a span element.
*/
</script>

</body>
```

<p> 가 .

innerText : "This element has extra spacing, and contains a span element."
innerHTML : " This element has extra spacing, and contains a span element."
textContent : " This element has extra spacing, and contains a span element."

innerText
innerHTML
textContent

[,, Javascript, HTML, DOM, textContent, Property](#)

From:

<http://rwiki.requia.com/> -

- 2023.12

Permanent link:

http://rwiki.requia.com/doku.php?id=wiki:javascript:javascript_note:textcontent&rev=1623032297

Last update: **2022/03/10 19:52**