

jQuery .data()

- description : jQuery .data()
- author :
- email : shlim@repia.com
- lastupdate : 2022-09-19 Mon

jQuery .data()

Store arbitrary data associated with the matched elements

```

    .data(key, value)

```

or return the value at the named data store for the first element in the set of matched elements.

```

    .data()

```

```

.data(key, value)


```

```

$( "body" ).data( "foo", 52 );
$( "body" ).data( "bar", { isManual: true } );
$( "body" ).data( { baz: [ 1, 2, 3 ] } );
$( "body" ).data( "foo" ); // 52
$( "body" ).data(); // { foo: 52, bar: { isManual: true }, bar: [ 1, 2 ,3 ]
}


```

Using the data() method to update data does not affect attributes in the DOM. To set a data-* attribute value, use attr.



The source of this article

[.data\(\)](#)
[, .data\(\)](#)



Last update: 2022/09/19 13:18
wiki:javascript:jquery:jquery_note:jquery_data http://rwiki.repia.com/doku.php?id=wiki:javascript:jquery:jquery_note:jquery_data&rev=1663561122

From:

<http://rwiki.repia.com/> -

. - 2023.12

Permanent link:

http://rwiki.repia.com/doku.php?id=wiki:javascript:jquery:jquery_note:jquery_data&rev=1663561122



Last update: **2022/09/19 13:18**