

jQuery contents() Method

- description : jQuery contents() Method
- author :
- email : shlim@repia.com
- lastupdate : 2022-10-24 Mon

The source of this article

[jQuery contents\(\) Method](#)

Definition and Usage

contents()

가

children()

Contents()

iframe

HTML

```

<!DOCTYPE html>
<html lang="en">
  <head>
    <meta charset="UTF-8" />
    <meta http-equiv="X-UA-Compatible" content="IE=edge" />
    <meta name="viewport" content="width=device-width, initial-scale=1.0" />
    <script
src="https://ajax.googleapis.com/ajax/libs/jquery/3.6.0/jquery.min.js"></scr
ipt>
    <title>jquery contents()</title>
  </head>
  <body>
    <div>
      <em>Hello World! What a beautiful day!</em>
    </div>

    <p>
      In this example, by clicking on the button, we search for all the text
      nodes inside the div element and wrap them with a b element.
    </p>

    <button>Find all text nodes in div and wrap them.</button><br />
    <script>

```

```
$(document).ready(function () {  
  $("button").click(function () {  
    $("div").contents().filter("em").wrap("<b />");  
  });  
});  
</script>  
</body>  
</html>
```

, [jQuery](#), [contents\(\)](#), [Method](#)

From: <http://rwiki.repia.com/> -

. - 2023.12

Permanent link: http://rwiki.repia.com/doku.php?id=wiki:javascript:jquery:jquery_note:jquery_references_traversing:jquery_contents_method&rev=1666576524 

Last update: 2022/10/24 10:55