

# SpringBoot + React

- IDE : STS4
- IDE : VSCode

## SpringBoot

```
@Getter
public static class User
{
    int id;
    String username;
    String passwd;
    String email;

    public User(int id, String username, String passwd, String email)
    {
        this.id = id;
        this.username = username;
        this.passwd = passwd;
        this.email = email;
    }
}
```

```
@RestController
public class HiReactController
{
    //
    @PostMapping("/api/users")
    public User user()
    {
        Logger.debug("::: HiReactController IN :::");
        User user = new User(1, "eleven", "1234", "jskim@repia.com");

        return user;
    }
}
```

## React

proxy axios

```
PS ~\react-app> npm install http-proxy-middleware --save
PS ~\react-app> npm install axios --save
```

src/setupProxy.js

```
const {createProxyMiddleware} = require("http-proxy-middleware");

module.exports = function(app){
  app.use(
    "/api"
    , createProxyMiddleware({
      target: "http://localhost:8006" //
      , changeOrigin: true
    })
  );
};
```

axios가

src/App.js

```
import logo from './logo.svg';

import React, {useState, useEffect} from "react";
import './App.css';
import Axios from "axios";

function App()
{
  const [user, setUser] = useState("");
  useEffect(() => {
    Axios.post("/api/users").then((response) => {
      if(response.data){
        console.log("console check! ==> ", response.data);
        setUser(response.data);
      }
      else
      {
        alert("failed to");
      }
    });
  }, []);

  return (
    <div className="App">
      <header className="App-header">
```

```

    <img src={logo} className="App-logo" alt="logo" />

    <h1>Hello, React!</h1>

    <p>No.{user.id}</p>
    <p>name is {user.username}</p>
    <p>password? {user.passwd}</p>
    <p>email... {user.email}</p>
    <a
      className="App-link"
      href="https://reactjs.org"
      target="_blank"
      rel="noopener noreferrer"
    >
      Learn React
    </a>

  </header>
</div>
);
}

export default App;

```

```
PS ~\react-app> npm run start
```

# Ref

+

[eleven](#), [react](#), [springboot](#), [STS4](#), [vscode](#)

From: <http://rwiki.repia.com/> -

. - 2023.12

Permanent link: [http://rwiki.repia.com/doku.php?id=wiki:javascript:react:springboot\\_react&rev=1623918544](http://rwiki.repia.com/doku.php?id=wiki:javascript:react:springboot_react&rev=1623918544)

Last update: 2022/03/10 19:52

