

# Front-End

1.

```

$(document).ready(function(){ }

, <head>                                <head>                                <body>
$(document).ready(function(){ }          <textarea id="editor">                                가

```

```

<html>
  <head>
    // include libraries(jQuery, codemirror)
    <script
src="http://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.js"></script>
    <script type="text/javascript"
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.min
.js"></script>
    <script type="text/javascript"
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/mode/javascrip
t/javascript.min.js"></script>
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.mi
n.css">
    <link rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/theme/monokai
.min.css">

    <script>
      var cm;
      $(document).ready(function(){
        cm = new
CodeMirror.fromTextArea(document.getElementById("editor"), {
          lineNumbers: true,
          mode: 'javascript',
          theme : 'monokai'}
        );
      });
    </script>
  </head>

  <body>
    <div>
      <textarea id="editor"></textarea>
    </div>
  </body>

```

```
</html>
```

```
<body>          <textarea id="editor"></textarea>  
$(document).ready(function(){ }
```

가

```
<html>  
  <head>  
    // include libraries(jQuery, codemirror)  
    <script  
src="http://cdnjs.cloudflare.com/ajax/libs/jquery/3.2.1/jquery.js"></script>  
    <script type="text/javascript"  
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.min  
.js"></script>  
    <script type="text/javascript"  
src="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/mode/javascript/javascrip  
t/javascript.min.js"></script>  
    <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/codemirror.mi  
n.css">  
    <link rel="stylesheet"  
href="https://cdnjs.cloudflare.com/ajax/libs/codemirror/5.52.2/theme/monokai  
.min.css">  
  </head>  
  
  <body>  
    <div>  
      <textarea id="editor"></textarea>  
    </div>  
  </body>  
  
  <script>  
    var cm;  
    cm = new CodeMirror.fromTextArea(document.getElementById("editor"),  
{  
      lineNumbers: true,  
      mode: 'javascript',  
      theme : 'monokai'}  
    );  
  </script>  
</html>
```

## Ref

[\\$\(document\).ready\(\)](#)

[eleven](#), [jquery](#), , , [codemirror](#)

From: <https://125.132.25.164/dokuwiki/> -

. - 2023.12

Permanent link: [https://125.132.25.164/dokuwiki/doku.php?id=wiki:jquery:%EC%8A%A4%ED%81%AC%EB%A6%BD%ED%8A%B8\\_%EB%A1%9C%EB%93%9C\\_%EC%88%9C%EC%84%9C](https://125.132.25.164/dokuwiki/doku.php?id=wiki:jquery:%EC%8A%A4%ED%81%AC%EB%A6%BD%ED%8A%B8_%EB%A1%9C%EB%93%9C_%EC%88%9C%EC%84%9C)

Last update: **2023/01/13 18:44**

